

Generation R

Data Dictionary - Years 5-8
Version 1.0

September 2013
C.J. Kruithof
V. Jaddoe





Content

1. Introduction	page 2
2. Years 5-8: general data	page 4
3. Years 5-8: hands on measurements and ultrasounds	
a. Behaviour and cognition child	page 19
b. Cardiovascular and metabolic development child	page 50
c. Eyes, ears and mouth child	page 68
d. Lungs child	page 74
e. Parental cognition	page 75
f. Maternal health	page 80
4. Years 5-8: questionnaires	
a. The development of my 5/6 year old child – part 1	page 87
b. The development of my 5/6 year old child – part 2	page 176

1. Introduction

The collected data, with the exception of the data from the GWAS, Snp's and measurements within biological samples can be found on this Generation R data wiki (only accessible within the Erasmus MC network, authorization obtained from datamanagement; datamanagementGenR@erasmusmc.nl).

All questionnaires and forms can be found on the Generation R wiki; <http://survey.erasmusmc.nl/wiki/generationr-intra/doku.php>, along with the data dictionary when available.

The datasets (SPSS format) are categorized in the different periods and the type of data collection. In this data dictionary the available variables collected in the fetal period are described. This includes the variable label and value labels of the specific variable.

The design of Generation R is described in the design paper, also available on the Generation R wiki; <http://survey.erasmusmc.nl/wiki/generationr-intra/doku.php> (Jaddoe VW, van Duijn CM, Franco OH, van der Heijden AJ, van IJzendoorn MH, de Jongste JC, van der Lugt A, Mackenbach JP, Moll HA, Raat H, Rivadeneira F, Steegers EA, Tiemeier H, Uitterlinden AG, Verhulst FC, Hofman A. **The Generation R Study: design and cohort update 2012.** Eur J Epidemiol).



2. Years 5-8: general data

IDC

	Value
Label	Id Child

IDM

	Value
Label	Id Pregnancy Mother

MOTHER

	Value
Label	Id Mother

MULTIPLE

	Value
Label	More than one preg/child included
0	No
1	Yes

RANKCHILD

	Value
Label	Rank Child Mother

CHANGEjune2012

	Value
Label	CHANGE COREDATE FEBRUARY & JUNE 2012

COHORT1

	Value
Label	Cohort year based on delivery date
1	2002
2	2003
3	2004
4	2005
5	2006

COHORT2

	Value
Label	cohort based postal code at birth
1	North
2	South
3	Other

FUPFASE1

	Value
Label	followup phase 1
0	withdrawn
1	participant phase 2
2	excluded
3	child died prenatal
4	birth outcome unknown
6	loss to follow up
7	child died postnatal

FASE1

	Value
Label	participation fase 1
0	no
1	yes

FASE2

	Value
Label	participation phase 2
0	no
1	yes

FUPFASE2

	Value
Label	consent phase 2
0	no participant in phase 2
1	full consent
2	consent for use of data

FOCUS

	Value
Label	focus participation
0	no
1	prenatal included
2	postnatal included

**FASE1_F**

	Value
Label	participation phase 1 Focuscohort
0	no
1	yes

FASE2_F

	Value
Label	participation phase 2 Focuscohort
0	no
1	yes

STARTFASE3

	Value
Label	invite phase3
0	No
1	Yes

FUPFASE3

	Value
Label	participantion phase 3
0	No
1	Yes
2	Full withdrawal
3	No contact

INTAKE

	Value
Label	intake prenatal, postnatal
1	prenatal included
2	postnatal included
3	not-miscarriage at inclusion
4	not-movement from study area
5	not-other

PARTN

	Value
Label	partner participation
0	no, partner participation
1	yes, partner participation

PARTBF

	Value
Label	partner is biological father
0	No
1	Yes

AGE_M

	Value
Label	age mother at intake

AGE_BF

	Value
Label	age biological father

AGE_P

	Value
Label	age partner at intake

ETHNMv2

	Value
Label	CBS ethnicity mother update after @5
1	Dutch
2	Indonesian
3	Cape Verdian
4	Moroccan
5	Dutch Antilles
6	Surinamese
7	Turkish
200	African
300	American,western
400	American, non western
500	Asian, western
600	Asian, non western
700	European
800	Oceania

**ETHNFv2**

	Value
Label	ethnfa_clean.1: CBS ethnicity biological father update after focus@5
1	Dutch
2	Indonesian
3	Cape Verdian
4	Moroccan
5	Dutch Antilles
6	Surinamese
7	Turkish
200	African
300	American,western
400	America, non western
500	Asia, western
600	Asia, non western
700	European
800	Oceania

ETHNINFv2

	Value
Label	CBS ethnicity child update after focus@5
1	Dutch
2	Indonesian
3	Cape Verdian
4	Moroccan
5	Dutch Antilles
6	Surinamese
7	Turkish
200	African
300	American,western
400	America, non western
500	Asia, western
600	Asia, non western
700	European
800	Oceania

ETHNP

	Value
Label	CBS ethnicity partner
1	Dutch
2	Indonesian
3	Cape Verdian
4	Moroccan
5	Dutch Antilles
6	Surinamese
7	Turkish
200	African
300	American,western
400	America, non western
500	Asia, western
600	Asia, non western
700	European
800	Oceania

EDUCM

	Value
Label	Education level mother: highest education finished
0	no education finished
1	primary
2	secondary, phase 1
3	secondary, phase 2
4	higher, phase 1
5	higher, phase 2

EDUCVM

	Value
Label	Highest education followed
0	no education finished
1	primary
2	secondary, phase 1
3	secondary, phase 2
4	higher, phase 1
5	higher, phase 2

**OPLAF**

	Value
Label	All followed educations finished?
0	Nee
1	Ja

EDUCP

	Value
Label	education level partner
0	no education finished
1	primary
2	secondary, phase 1
3	secondary, phase 2
4	higher, phase 1
5	higher, phase 2

EDUCM3

	Value
Label	GR1065 Education mother based on 36 months questionnaire (educm3)
0	no education finished
1	primary
2	secondary, phase 1
3	secondary, phase 2
4	higher, phase 1
5	higher, phase 2

EDUCM5

	Value
Label	GR1075 Education mother based on 5/6 year questionnaire (educm5)
0	no education finished
1	primary
2	secondary, phase 1
3	secondary, phase 2
4	higher, phase 1
5	higher, phase 2

EDUCP3

	Value
Label	GR1066 Education partner based on 36 months questionnaire (educp3)
0	no education finished
1	primary
2	secondary, phase 1
3	secondary, phase 2
4	higher, phase 1
5	higher, phase 2

EDUCP5

	Value
Label	GR1075 Education partner based on 5/6 year questionnaire (educp5)
0	no education finished
1	primary
2	secondary, phase 1
3	secondary, phase 2
4	higher, phase 1
5	higher, phase 2

MAR_STAT

	Value
Label	marital status dichotomous
1	married
2	unmarried

MAR_ST2

	Value
Label	marital status 3 groups
1	married
2	living together
3	no partner

MAR_STAT5

	Value
Label	marital status 2 groups based on 5/6 months questionnaire (MAR_STAT5)
1	married/registered partnership
2	unmarried/no registered partnership



MAR_DICH5

	Value
Label	marital status dichotomous based on 5/6 year questionnaire (MAR_DICH5)
1	married/registered partnership/living together
2	no partner (no partner at all/partner with whom i do not live)

MARDICH

	Value
Label	marital status 2 groups
1	married/living together
2	no partner

INCOME

	Value
Label	Netto income household
1,0	less than 450
2,0	450-600 euro
3,0	600-700 euro
4,0	700-800 euro
5,0	800-900 euro
6,0	900-1200 euro
7,0	1200-1400 euro
8,0	1400-1600 euro
9,0	1600-1800 euro
10,0	1800-2000 euro
11,0	2000-2200 euro
12,0	> 2200 euro

INCOME2

	Value
Label	Indication of the net income of your household postnatal included
1	Less than 750 euro
2	750-1000 euro
3	1000-1200 euro
4	1200-1450 euro
5	1450-1700 euro
6	1700-2000 euro
7	2000-2300 euro
8	2300-2700 euro
9	2700-3300 euro
10	More than 3300 euro

INCOME5

	Value
Label	GR1075 B19 What is the net income of your household per month (your income plus that of your partner, if any).
1	Less than € 800
2	€ 800-1200
3	€ 1200-1600
4	€ 1600-2000
5	€ 2000-2400
6	€ 2400-2800
7	€ 2800-3200
8	€ 3200-4000
9	€ 4000-4800
10	€ 4800-5600
11	More than € 5600

INCOMEPERS5

	Value
Label	Cleaned GR1075 B20 How many persons within your household must live from this income? Children



INTAKEPERIOD

	Value
Label	period intake
1	<18 weeks
2	18-25 weeks
3	>25 weeks

GESTINT

	Value
Label	gestational age at intake

WEIGHT_0

	Value
Label	What was your weight just before this pregnancy

WEIGHT_1

	Value
Label	weight intake

HEIGHT_1

	Value
Label	height intake

BMI_1

	Value
Label	bmi intake

WEIGHT_2

	Value
Label	weight after pregnancy postnatal included

HEIGHT_2

	Value
Label	height postnatal included

BMI_2

	Value
Label	BMI postnatal included

WEIGHT_P

	Value
Label	weight_p

HEIGHT_P

	Value
Label	height_p

BMI_P

	Value
Label	bmi partner

BMI_0

	Value
Label	bmi before pregnancy

G1GA

	Value
Label	visit <18 weeks

G1WEIGHT

	Value
Label	weight mother gestage 1

G1HEIGHT

	Value
Label	height mother gestage 1

G2GA

	Value
Label	visit 18-25 weeks

G2WEIGHT

	Value
Label	weight mother gestage 2

G2HEIGHT

	Value
Label	height mother gestage 2

G3GA

	Value
Label	visit >25 weeks

G3WEIGHT

	Value
Label	weight mother gestage 3

G3HEIGHT

	Value
Label	height mother gestage 3

**OUTCOME PREG**

	Value
Label	outcome pregnancy
1	live birth singleton
2	twin birth
3	Induced abortion
4	IUVD
9	Loss to follow up

OUTCOME CHILD

	Value
Label	outcome birth - child
1	live birth
3	Induced abortion
4	IUVD
9	Loss to follow up

TWIN

	Value
Label	Twin birth
0	No
1	Yes

AGEIUVD

	Value
Label	Gestational age IUVD/TOP

DATERING

	Value
Label	method of determining gestational age
1	CRL
2	BPD
3	postnatal included - Gestage missing
4	postnatal included - LVR/Medical information
5	postnatal included - Questionnaire
9	ATD Astraia

GESTBIR

	Value
Label	Gestational age at birth

GENDER

	Value
Label	Gender live birth
1	boy
2	girl

WEIGHT

	Value
Label	Weight live birth

DIEDPP

	Value
Label	died neonatal
0	no
1	yes

AGEDIED

	Value
Label	age died post partum

SDSNIKL

	Value
Label	SDS (Niklasson) birth weight

BIRTHHC

	Value
Label	HC (cm) - Birth

sds_BIRTHHC

	Value
Label	Sweden, head circumference for gestational age

BIRTHLENGTH

	Value
Label	Length (cm) - Birth

sds_BIRTHLENGTH

	Value
Label	Sweden 1991, length for gestational age

**HCBirthorCB**

	Value
Label	HC - Birth/CB
1	measured at birth
2	measured at CB

HCAge_BirCB

	Value
Label	Age HC in weeks (gestage at birth + age CB visit)

HC_totalmm

	Value
Label	Combined HC (mm) - Birth/CB

HC_totalcm

	Value
Label	Combined HC (cm) - Birth/CB

sds_HCCB

	Value
Label	The Netherlands 1997, head circumference for age

LENGTHBirthorCB

	Value
Label	Length - Birth/CB
1	measured at birth
2	measured at CB

LENGTHAge_BirCB

	Value
Label	Age length in weeks (gestage at birth + age CB visit)

LENGTH_totalmm

	Value
Label	Combined Length (mm) - Birth/CB

LENGTH_totalcm

	Value
Label	Combined Length (cm) - Birth/CB

sds_LENGTHCB

	Value
Label	The Netherlands 1997, height for age

3. Years 5-8: hands on measurements and ultrasounds

visitChildF5

	Value
Label	Focus @5 visit
0	No
1	Yes

ageChildMF5

	Value
Label	Age Child Focus at 5 years (months)

ageChildYF5

	Value
Label	Age Child Focus at 5 years (years)

3a. Behaviour and cognition child

Focus@5: Behaviour and behavioural observation (Berkley puppet interview)

BPIF@5

	Value
Label	BPI done or not
0	Not done
1	Done
2	No data
3	Removed on request of participant

Understood

	Value
Label	BPI understood by child according to coder
1	not understood
2	not completely understood
3	reasonably understood
4	understood
9	unclear
999	cannot say



Quality_intv

	Value
Label	Quality of data according to coder
1	data not usable
2	problematic, not completely assessed, part assessed not completely usable
3	problematic, not completely assessed, part assessed is usable
4	problematic, completely assessed, but part assessed not completely usable
5	problematic, but completely assessed and usable
6	unproblematic
999	user missing

reason_problems

	Value
Label	Why was the interview problematic according to coder
1	technical
2	bad interview
3	circumstances
4	other
9	no problems

BPI_1

	Value
Label	BPI_1 bad dreams
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_2

	Value
Label	BPI_2 no friends at school
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_3

	Value
Label	BPI_3 take things
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_4

	Value
Label	BPI_4 worry about parents at school
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative



BPI_5

	Value
Label	BPI_5 funny if a child gets in trouble
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_6

	Value
Label	BPI_6 nervous if teacher asks something
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_7

	Value
Label	BPI_7 sad child
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_8

	Value
Label	BPI_8 steal
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_9

	Value
Label	BPI_9 worry that parent go away
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_10

	Value
Label	BPI_10 kids ask to play
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative



BPI_11

	Value
Label	BPI_11 tease
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_12

	Value
Label	BPI_12 unhappy
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_13

	Value
Label	BPI_13 kids do mean things
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_14

	Value
Label	BPI_14 being stupid
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_15

	Value
Label	BPI_15 tell lies
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_16

	Value
Label	BPI_16 hit other kids
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative



BPI_17

	Value
Label	BPI_17 difficult to say good bye
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_18

	Value
Label	BPI_18 kids do not like me
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_19

	Value
Label	BPI_19 like to tease
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_20

	Value
Label	BPI_20 headaches
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_21

	Value
Label	BPI_21 kids say mean things
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_22

	Value
Label	BPI_22 worried that scary things will happen
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative



BPI_23

	Value
Label	BPI_23 kids like to sit next to me
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_24

	Value
Label	BPI_24 afraid to go to bed
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_25

	Value
Label	BPI_25 like to mess up games
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_26

	Value
Label	BPI_26 stomic aches
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_27

	Value
Label	BPI_27 like myself
1	very positive
2	Positive
3	positive toned down
4	in between
5	negative toned down
6	Negative
7	very negative

BPI_28

	Value
Label	BPI_28 kids at school hit me
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative



BPI_29

	Value
Label	BPI_29 yell at teacher
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_30

	Value
Label	BPI_30 mean to animals
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_31

	Value
Label	BPI_31 miss parents
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_32

	Value
Label	BPI_32 lose temper
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_33

	Value
Label	BPI_33 worry
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_34

	Value
Label	BPI_34 lonely child
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative



BPI_35

	Value
Label	BPI_35 fight with other kids
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_36

	Value
Label	BPI_36 scared if mom and dad go away
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_37

	Value
Label	BPI_37 teased at school
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_38

	Value
Label	BPI_38 hit if someone is mean
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_39

	Value
Label	BPI_39 don not listen to parens
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_40

	Value
Label	BPI_40 hit mom and dad
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative



BPI_41

	Value
Label	BPI_41 tired a lot
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_42

	Value
Label	BPI_42 don not like going places without parents
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_43

	Value
Label	BPI_43 yell at parents
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_44

	Value
Label	BPI_44 break other peoples things when mad
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_45

	Value
Label	BPI_45 play with fire
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_46

	Value
Label	BPI_46 cry a lot
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative



BPI_47

	Value
Label	BPI_47 hit teacher
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_48

	Value
Label	BPI_48 swear
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_49

	Value
Label	BPI_49 cheat
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

BPI_50

	Value
Label	BPI_50 kids leave me out
1	very positive
2	positive
3	positive toned down
4	in between
5	negative toned down
6	negative
7	very negative

Nmis_BPI_depr

	Value
Label	number missing depression BPI

Nmis_BPI_SepAnx

	Value
Label	number missing separation anxiety scale BPI

Nmis_BPI_OverAnx

	Value
Label	number missing overanxiousness scale BPI

Nmis_BPI_OD

	Value
Label	number missing oppositionality and defiance scale BPI

Nmis_BPI_Host

	Value
Label	number missing hostility scale BPI

Nmis_BPI_CP

	Value
Label	number missing conduct problems scale BPI

Nmis_BPI_Rej

	Value
Label	number missing peer acceptance and rejection scale BPI

Nmis_BPI_bullied

	Value
Label	number missing bullied scale BPI



Nmis_BPI_internalizing

	Value
Label	nr missing internalizing problems BPI

Nmis_BPI_externalizing

	Value
Label	nr missing externalizing BPI

Nmis_BPI_peerrel

	Value
Label	nr missing peer relationships (bullied and rejected) BPI

Nmis_BPI_tot

	Value
Label	total number missings BPI

w_sumBPI_depr

	Value
Label	weighted sumscore depression

w_sumBPI_SepAnx

	Value
Label	weighted sumscore separation anxiety

w_sumBPI_OverAnx

	Value
Label	weighted sumscore of overanxiousness

w_sumBPI_OD

	Value
Label	weighted sumscore oppositionality and defiance

w_sumBPI_host

	Value
Label	weighted sumscore hostility

w_sumBPI_conduct

	Value
Label	weighted sumscore conduct problems

w_sumBPI_rej

	Value
Label	weighted sumscore peer rejection and acceptance

w_sumBPI_bullied

	Value
Label	weighted sumscore bullied

w_sumBPI_int

	Value
Label	weighted sumscore internalizing problems

w_sumBPI_ext

	Value
Label	weighted sumscore externalizing

w_sumBPI_peerrel

	Value
Label	weighted sumscore peer relations (bullied and rejected)

w_sumBPI_total

	Value
Label	weighted sumscore total BPI

Focus@5: Cognition (Son IQ)

CHILDCONSULENTSON5

	Value
Label	F5 BEHAVIOUR - child: Consultant anonymous (CHILDCONSULENTSON5)

F0100178

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part I-1 (F0100178)
1	(+)
2	(-)

F0100278

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part I-2 (F0100278)
1	(+)
2	(-)

F0100378

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part I-3 (F0100378)
1	yes
2	no

**F0100478**

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part I-4 (F0100478)
1	yes
2	no

F0100578

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part I-5 (F0100578)
1	yes
2	no

F0100678

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part I-6 (F0100678)
1	yes
2	no

F0100778

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part II-7 (F0100778)
1	yes
2	no

F0100878

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part II-8 (F0100878)
1	yes
2	no

F0100978

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part II-9 (F0100978)
1	yes
2	no

F0101078

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part II-10 (F0101078)
1	yes
2	no

F0101178

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part II-11 (F0101178)
1	yes
2	no

F0101278

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part II-12 (F0101278)
1	yes
2	no

F0101378

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part II-13 (F0101378)
1	yes
2	no

F0101478

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part II-14 (F0101478)
1	yes
2	no

F0101578

	Value
Label	F5 BEHAVIOUR - Cognition child: Mosaics Part II-15 (F0101578)
1	yes
2	no

F0200178

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part I-1 (F0200178)
1	yes
2	no

F0200278

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part I-2 (F0200278)
1	yes
2	no

**F0200378**

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part I-3 (F0200378)
1	yes
2	no

F0200478

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part I-4 (F0200478)
1	yes
2	no

F0200578

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part I-5 (F0200578)
1	yes
2	no

F0200678

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part I-6 (F0200678)
1	yes
2	no

F0200778

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part I-7 (F0200778)
1	yes
2	no

F0200878

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part II-8 (F0200878)
1	yes
2	no

F0200978

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part II-9 (F0200978)
1	yes
2	no

F0201078

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part II-10 (F0201078)
1	yes
2	no

F0201178

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part II-11 (F0201178)
1	yes
2	no

F0201278

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part II-12 (F0201278)
1	yes
2	no

F0201378

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part II-13 (F0201378)
1	yes
2	no

F0201478

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part II-14 (F0201478)
1	yes
2	no

F0201578

	Value
Label	F5 BEHAVIOUR - Cognition child: Categories Part II-15 (F0201578)
1	yes
2	no

F0300178

	Value
Label	F5 BEHAVIOUR - Cognition child: IQ score (F0300178)

**F0300278**

	Value
Label	F5 BEHAVIOUR - Cognition child: Probability Interval IQ score - lower limit (F0300278)

F0300378

	Value
Label	F5 BEHAVIOUR - Cognition child: Probability Interval IQ score - upper limit (F0300378)

F0400178

	Value
Label	F5 BEHAVIOUR - Cognition child: Motivation (F0400178)
1	good
2	variable
3	moderate
4	bad

F0400278

	Value
Label	F5 BEHAVIOUR - Cognition child: Concentration (F0400278)
1	good
2	variable
3	moderate
4	bad

F0400378

	Value
Label	F5 BEHAVIOUR - Cognition child: Collaboration (F0400378)
1	good
2	variable
3	moderate
4	bad

F0400478

	Value
Label	F5 BEHAVIOUR - Cognition child: Understanding of instructions (F0400478)
1	good
2	variable
3	moderate
4	bad

ASD_related

	Value
Label	Any diagnosis of ASD
1	YES

Focus@5: Language development

TVKF@5_done

	Value
Label	TVK done or not
1	done
2	partly done
3	not done

TVKF@5_reason_notdone

	Value
Label	reason TVK not done
1	no time
2	no personell
3	external circumstances
4	failed circumstances participant

MotivationTVK

	Value
Label	motivation TVK
1	good
2	variable
3	moderate
4	bad

ConcentrationTVK

	Value
Label	motivation TVK
1	good
2	variable
3	moderate
4	bad



CooperationTVK

	Value
Label	cooperation TVK
1	good
2	variable
3	moderate
4	bad

UnderstandingTVK

	Value
Label	understanding of instructions on TVK
1	good
2	variable
3	moderate
4	bad

practice1

	Value
Label	practice1 TVK

practice2

	Value
Label	practice2 TVK

practice3

	Value
Label	practice3 TVK

practice4

	Value
Label	practice4 TVK

item1

	Value
Label	item 1 language
0	false
1	correct

item3

	Value
Label	item 2 language
0	false
1	correct

item4

	Value
Label	item 3 language
0	false
1	correct

item5

	Value
Label	item 4 language
0	false
1	correct

item6

	Value
Label	item 5 language
0	false
1	correct

item8

	Value
Label	item 6 language
0	false
1	correct

item9

	Value
Label	item 7 language
0	false
1	correct

item10

	Value
Label	item 8 language
0	false
1	correct

item11

	Value
Label	item 9 language
0	false
1	correct



item12

	Value
Label	item 10 language
0	false
1	correct

item13

	Value
Label	item 11 language
0	false
1	correct

item14

	Value
Label	item 12 language
0	false
1	correct

item16

	Value
Label	item 13 language
0	false
1	correct

item17

	Value
Label	item 14 language
0	false
1	correct

item21

	Value
Label	item 21 language
0	false
1	correct

item22

	Value
Label	item 22 language
0	false
1	correct

item24

	Value
Label	item 24 language
0	false
1	correct

item27

	Value
Label	item 27 language
0	false
1	correct

item28

	Value
Label	item 28 language
0	false
1	correct

item29

	Value
Label	item 29 language
0	false
1	correct

item30

	Value
Label	item 30 language
0	false
1	correct

item31

	Value
Label	item 31 language
0	false
1	correct

item34

	Value
Label	item 34 language
0	false
1	correct



item35

	Value
Label	item 35 language
0	false
1	correct

item36

	Value
Label	item 36 language
0	false
1	correct

item37

	Value
Label	item 37 language
0	false
1	correct

TvKsumscore_num_miss

	Value
Label	number of missings TvK

TvKsumscore_25missing

	Value
Label	weighted sumscore TvK with 25% missing

3b. Cardiovascular and metabolic development child

Focus@5: Anthropometrics

weight5child

	Value
Label	F@5 GROWTH - child: weight (kg) (weight5child)

length5child

	Value
Label	F@5 GROWTH - child: length (cm) (length5child)

lengthm5child

	Value
Label	F@5 GROWTH - child: length (m) (lengthm5child)

HC5child

	Value
Label	F@5 GROWTH - child: headcircumference (cm) (hc5child)

BMI5child

	Value
Label	F@5 GROWTH - child: BMI (BMI5child)

sdsweight5child

	Value
Label	The Netherlands 1997, weight for age

sdsheight5child

	Value
Label	The Netherlands 1997, height for age

sdswehe5child

	Value
Label	The Netherlands 1997, weight for height (0 - 16 years)

sdsbmiforage

	Value
Label	The Netherlands 1997, BMI for age

sdshc5child

	Value
Label	The Netherlands 1997, head circumference for age

Focus@5: Blood pressure

RR5child

	Value
Label	F@5 BLOODPRESSURE – child: Behaviour during measurement (RR5child)
1	sleepy
2	calmly awake
3	restless awake
4	crying

cuff5child

	Value
Label	F@5 BLOODPRESSURE – child: Used band (added 22-11-2010) (cuff5child)
1	green
2	blue

**Sys1_5child**

	Value
Label	F@5 BLOODPRESSURE – child: 1st Systole (mmHg) (Sys1_5child)

Dias1_5child

	Value
Label	F@5 BLOODPRESSURE – child: 1st Diastole (mmHg) (Dias1_5child)

Pulse1_5child

	Value
Label	F@5 BLOODPRESSURE – child 1st Pulse (mean) (Pulse1_5child)

SBP_DBP1child

	Value
Label	F@5 BLOODPRESSURE – child: 1st Systole - Diastole (mmHg) (SBP_DBP1child)

MAP1_5child

	Value
Label	F@5 BLOODPRESSURE – child: Mean Arterial Pressure 1 (MAP1_5child)

Sys2_5child

	Value
Label	F@5 BLOODPRESSURE – child: 2nd Systole (mmHg) (Sys2_5child)

Dias2_5child

	Value
Label	F@5 BLOODPRESSURE – child: 2nd Diastole (mmHg) (Dys2_5child)

Pulse2_5child

	Value
Label	F@5 BLOODPRESSURE – child: 2nd Pulse (mean) (Pulse2_5child)

SBP_DBP2child

	Value
Label	F@5 BLOODPRESSURE – child: 2nd Systole - Diastole (mmHg) (SBP_DBP2child)

MAP2_5child

	Value
Label	F@5 BLOODPRESSURE – child: Mean Arterial Pressure 2 (MAP2_5child)

Sys3_5child

	Value
Label	F@5 BLOODPRESSURE – child: 3rd Systole (mmHg) (Sys3_5child)

Dias3_5child

	Value
Label	F@5 BLOODPRESSURE – child: 3rd Diastole (mmHg) (Dias3_5child)

Pulse3_5child

	Value
Label	F@5 BLOODPRESSURE – child: 3rd Pulse (mean) (Pulse3_5child)

SBP_DBP3child

	Value
Label	F@5 BLOODPRESSURE – child: 3rd Systole - Diastole (mmHg) (SBP_DBP2child)

MAP3_5child

	Value
Label	F@5 BLOODPRESSURE – child: Mean Arterial Pressure 3 (MAP3_5child)

Sys4_5child

	Value
Label	F@5 BLOODPRESSURE – child: 4th Systole (mmHg) (Sys4_5child)

Dias4_5child

	Value
Label	F@5 BLOODPRESSURE – child: 4th Diastole (mmHg) (Dias4_5child)

Pulse4_5child

	Value
Label	F@5 BLOODPRESSURE – child: 4th Pulse (mean) (Pulse4_5child)

SBP_DBP4child

	Value
Label	F@5 BLOODPRESSURE – child: 4h Systole - Diastole (mmHg) (SBP_DBP2child)

MAP4_5child

	Value
Label	F@5 BLOODPRESSURE – child: Mean Arterial Pressure 4 (MAP4_5child)

MeanSBP_ex1_5child

	Value
Label	F@5 BLOODPRESSURE – child: Mean Systole excl first measurement (MeanSBP_ex1_5child)



MeanDBP_ex1_5child

	Value
Label	F@5 BLOODPRESSURE – child: Mean Diastole excl first measurement (MeanDBP_ex1_5child)

Focus@5: Arterial stiffness

CFTIME_F5child

	Value
Label	F@5 PWV - child: C-F:_TIME_(ms)

CFDISTANCE_F5child

	Value
Label	F@5 PWV - child: C-F:_DISTANCE_(cm)

CFPWV_F5child

	Value
Label	F@5 PWV - child: C-F:_PWV_(m/s)

CFTOLERANCE_F5child

	Value
Label	F@5 PWV - child: C-F:_TOLERANCE_(%)

ASI_F5child

	Value
Label	F@5 PWV - child: ASI (M/S)

Focus@5: Body composition (DXA)

ExamCorrect_final

	Value
Label	ExamCorrect_final
0	No
1	Yes
2	Scan failed
3	Delete extra scan
4	Scan mother
5	Scan stopped halfway
6	Disease affected bone growth
7	Discuss

Comment_final

	Value
Label	Comment_final
1	Artefacts head
2	Artefacts body
3	Artefact femur
4	Geometry femur
5	Wrong scan position
6	Wrong position head
7	Artefact spine
8	Wrong scan modus
9	Fanconi anemie
10	Rnummer verkeerd, aangepast
11	Artefacts head & body
12	Scan Incomplete
13	Artefacts hands
14	Disease unknown

scantype

	Value
Label	scantype
0	AP Spine
1	right femur
10	total body
13	hand right
14	hand left

patienttype

	Value
Label	patienttype
1	Child
2	Mother
3	Father
4	Other
5	Test



ethnicity

	Value
Label	Ethnicity filled in with scan

WeightDXA

	Value
Label	WeightDXA

avg_percent_fat

	Value
Label	avg_percent_fat

avg_tissue_thickness

	Value
Label	avg_tissue_thickness

scan_mode

	Value
Label	scan_mode

TOTbmd_NHead

	Value
Label	TOTbmd without head

TOTbmc_NH

	Value
Label	TOTbmc without head

TOTarea_NH

	Value
Label	TOTarea withouth head

TOTbmd

	Value
Label	TOTbmd

TOTbmc

	Value
Label	TOTbmc

TOTarea

	Value
Label	TOTarea

bmd_head

	Value
Label	bmd_head

bmc_head

	Value
Label	bmc_head

area_head

	Value
Label	area_head

bmd_arms

	Value
Label	bmd_arms

bmc_arms

	Value
Label	bmc_arms

area_arms

	Value
Label	area_arms

bmd_legs

	Value
Label	bmd_legs

bmc_legs

	Value
Label	bmc_legs

area_legs

	Value
Label	area_legs

bmd_trunk

	Value
Label	bmd_trunk

bmc_trunk

	Value
Label	bmc_trunk



area_trunk

	Value
Label	area_trunk

bmd_ribs

	Value
Label	bmd_ribs

bmc_ribs

	Value
Label	bmc_ribs

area_ribs

	Value
Label	area_ribs

bmd_pelvis

	Value
Label	bmd_pelvis

bmc_pelvis

	Value
Label	bmc_pelvis

area_pelvis

	Value
Label	area_pelvis

bmd_spine

	Value
Label	bmd_spine

bmc_spine

	Value
Label	bmc_spine

area_spine

	Value
Label	area_spine

bmd_totalbody

	Value
Label	bmd_totalbody

bmc_totalbody

	Value
Label	bmc_totalbody

area_totalbody

	Value
Label	area_totalbody

bone_mass_arms

	Value
Label	bone_mass_arms

fat_mass_arms

	Value
Label	fat_mass_arms

lean_mass_arms

	Value
Label	lean_mass_arms

bone_mass_legs

	Value
Label	bone_mass_legs

fat_mass_legs

	Value
Label	fat_mass_legs

lean_mass_legs

	Value
Label	lean_mass_legs

bone_mass_trunk

	Value
Label	bone_mass_trunk

fat_mass_trunk

	Value
Label	fat_mass_trunk

lean_mass_trunk

	Value
Label	lean_mass_trunk



bone_mass_totalbody

	Value
Label	bone_mass_totalbody

fat_mass_totalbody

	Value
Label	fat_mass_totalbody

lean_mass_totalbody

	Value
Label	lean_mass_totalbody

fat_mass_android

	Value
Label	fat_mass_android: abdominal fat mass, causing an 'apple-shape'

fat_mass_gynoid

	Value
Label	fat_mass_gynoid: fat mass around the hips, thighs and buttocks, causing a 'pear-shape'

Focus@5: Ultrasound abdominal fat

SonographerF5

	Value
Label	Sonographer Focus at 5

DeviceUSF5

	Value
Label	Device US Focus at 5
1	HDI 500
2	Logiq E9

ToolScoring

	Value
Label	Tool measurement
1	Ultrasound
2	CodingTool

SCMAX

	Value
Label	COMBINATION MEAN SCMAX TOOL+ ECHO

SCDIST

	Value
Label	COMBINATION MEAN SCDIST TOOL+ ECHO

PPMAX

	Value
Label	COMBINATION MEAN PPMAX TOOL+ ECHO

SCAREAA

	Value
Label	COMBINATION MEAN SCAREA TOOL+ ECHO

PPAREAA

	Value
Label	COMBINATION MEAN PPAREA TOOL+ ECHO

RATIO

	Value
Label	COMBINATION MEAN RATIO TOOL+ ECHO

LOGSCMAX

	Value
Label	LN SCMAX

LOGSCDIST

	Value
Label	LN SCDIST

LOGPPMAX

	Value
Label	LN PPMAX

LOGSCAREA

	Value
Label	LN SCAREA

LOGPPAREA

	Value
Label	LN PPAREA

LOGRATIO

	Value
Label	LN RATIO

**ZLOGSCMAX**

	Value
Label	Zscore: LN SCMAX

ZLOGSCDIST

	Value
Label	Zscore: LN SCDIST

ZLOGPPMAX

	Value
Label	Zscore: LN PPMAX

ZLOGSCAREA

	Value
Label	Zscore: LN SCAREA

ZLOGPPAREA

	Value
Label	Zscore: LN PPAREA

ZLOGRATIO

	Value
Label	Zscore: LN RATIO

Focus@5: Ultrasound heart

SonographerF5

	Value
Label	Performing Sonographer Focus@5

DeviceUS

	Value
Label	Ultrasound Device Focus@5
1	HDI 500
2	Logiq E9

CardiacAbnorm5child

	Value
Label	Cardiac Abnormality Observed
1	Yes

DiagnosisD5child

	Value
Label	Decision to Include or Exclude from Cardiac Analyses
1	Include
2	Exclude

AOD5child

	Value
Label	AOD at 5 Year with Outliers

IVSD5child

	Value
Label	IVSD at 5 Year with Outliers

LVDD5child

	Value
Label	LVDD at 5 Year with Outliers

LVPWD5child

	Value
Label	LVPWD at 5 Year with Outliers

IVSS5child

	Value
Label	IVSS at 5 Year with Outliers

LVDS5child

	Value
Label	LVDS at 5 Year with Outliers

LVPWS5child

	Value
Label	LVPWS at 5 Year with Outliers

HB5child

	Value
Label	HB at 5 Year with Outliers

LAD5child_Clean

	Value
Label	LAD at 5 Year without Outliers

AOD5child_Clean

	Value
Label	AOD at 5 Year without Outliers



LVDD5child_Clean

	Value
Label	LVDD at 5 Year without Outliers

LVPWD5child_Clean

	Value
Label	LVPWD at 5 Year without Outliers

IVSS5child_Clean

	Value
Label	IVSS at 5 Year without Outliers

LVDS5child_Clean

	Value
Label	LVDS at 5 Year without Outliers

LVPWS5child_Clean

	Value
Label	LVPWS at 5 Year without Outliers

HB5child_Clean

	Value
Label	HB at 5 Year without Outliers

IVSD5child_Clean

	Value
Label	IVSD at 5 Year without Outliers

LVMass5child

	Value
Label	Left Ventricular Mass at 5 Year with Outliers

LVDVol5child

	Value
Label	LVDVol5Yol at 5 Year with Outliers

LVSVol5child

	Value
Label	LVSVol5Yol at 5 Year with Outliers

FS5child

	Value
Label	FS at 5 Year with Outliers

EF5child

	Value
Label	EF at 5 Year with Outliers

SVol5child

	Value
Label	SVol at 5 Year with Outliers

CO5child

	Value
Label	Cardiac Output at 5 Year with Outliers

LAD_AOD5child

	Value
Label	Ratio of LAD and AOD at 5 Year with Outliers

IVSD_LVPWD5child

	Value
Label	Ratio of IVSD and LVPWD at 5 Year with Outliers

IVS_Thick5child

	Value
Label	Fractional IVS thickening (%) at 5 Year with Outliers

LVPW_Thick5child

	Value
Label	Fractional LVPW thickening (%) at 5 Year with Outliers

LVMass5child_Clean

	Value
Label	LVMass5Y_Clean Calculated at 5 Year without Outliers

LVDVol5child_Clean

	Value
Label	LVDVol at 5 Year without Outliers

LVSVol5child_Clean

	Value
Label	LVSVol at 5 Year without Outliers

FS5child_Clean

	Value
Label	FS at 5 Year without Outliers



EF5child_Clean

	Value
Label	EF at 5 Year without Outliers

SVol5child_Clean

	Value
Label	SVol at 5 Year without Outliers

CO5child_Clean

	Value
Label	Cardiac Output at 5 Year without Outliers

LAD_AOD5child_Clean

	Value
Label	Ratio of LAD and AOD at 5 Year without Outliers

IVSD_LVPWD5child_Clean

	Value
Label	Ratio of IVSD and LVPWD at 5 Year without Outliers

IVS_Thick5child_Clean

	Value
Label	Fractional IVS thickening (%) at 5 Year without Outliers

LVPW_Thick5child_Clean

	Value
Label	Fractional LVPW thickening (%) at 5 Year without Outliers

Focus@5: Ultrasound kidney

kidneychild5

	Value
Label	Ultrasound Kidney Child
0	no
1	yes

KLR5child

	Value
Label	F@5 ULTRASOUND - child: Kidneys - Length right (mm) (KLR5child)

KWR5child

	Value
Label	F@5 ULTRASOUND - child: Kidneys - Width right (mm) (KWR5child)

KTDR5child

	Value
Label	F@5 ULTRASOUND - child: Kidneys - Transverse diameter right (mm) (KTDR5child)

KVR5child

	Value
Label	F@5 ULTRASOUND - child: Kidneys - Volume right (mm) (KVR5child)

KLL5child

	Value
Label	F@5 ULTRASOUND - child: Kidneys - Length left (mm) (KLL5child)

KWL5child

	Value
Label	F@5 ULTRASOUND - child: Kidneys - Width left (mm) (KWL5child)

KTDL5child

	Value
Label	F@5 ULTRASOUND - child: Kidneys - Transverse diameter left (mm) (KTDL5child)

KVL5child

	Value
Label	F@5 ULTRASOUND - child: Kidneys - Volume left (mm) (KVL5child)

KVT5child

	Value
Label	F@5 ULTRASOUND - child: Kidneys - Volume total (mm) (KVT5child)

Device

	Value
Label	Device used
1	HDI 500
2	Logiq E9

Sonographer

	Value
Label	The sonographer, who has done the ultrasound



3c. Eyes, ears and mouth child

Focus@5: refraction

visus_done

	Value
Label	F5 EYES - child: Visus (G0300179)
1	done
2	not done

reason_not

	Value
Label	F5 EYES - child: Visus, reason not done (G0300279)
1	no time (left)
2	no personnel
3	equipment defective/no equipment
4	failed/circumstances participant

visus_OD

	Value
Label	F5 EYES - child: Visus OD right - LEA (G0300379)

hotv_OD

	Value
Label	F5 EYES - child: Visus OD right - HOTV (G0300479)

visus_OS

	Value
Label	F5 EYES - child: Visus OS left - LEA (G0300579)

hotv_OS

	Value
Label	F5 EYES - child: Visus OS left - HOTV (G0300679)

AL_OD_ch

	Value
Label	F5 EYES - child: Refraction (OD right) average AL (Q0200178)

K1_OD_ch

	Value
Label	F5 EYES - child: Refraction (OD right) K1 (Q0200278)

K2_OD_ch

	Value
Label	F5 EYES - child: Refraction (OD right) K2 (Q0200378)

ACD_OD_ch

	Value
Label	F5 EYES - child: Refraction (OD right) ACD (Q0200478)

AL_OS_ch

	Value
Label	F5 EYES - child: Refraction (OS left) average AL (Q0200578)

K1_OS_ch

	Value
Label	F5 EYES - child: Refraction (OS left) K1 (Q0200678)

K2_OS_ch

	Value
Label	F5 EYES - child: Refraction (OS left) K2 (Q0200778)

ACD_OS_ch

	Value
Label	F5 EYES - child: Refraction (OS left) ACD (Q0200878)

bril_child

	Value
Label	F5 EYES - child: Does your child wear glasses? (G0600379)
1	yes
2	no

Focus@5: taste

RankChild@5

	Value
Label	Ranktest cleaned (RankChild@5)
1	done
2	not done

**ReasonNotDoneRankChild@5**

	Value
Label	Ranktest, reason not done (ReasonNotDoneRankChild@5)
1	no time (left)
2	no personnel
3	external circumstances
4	failed/circumstances participant
5	reason unknown

RANKcandy

	Value
Label	Ranktest Candy cleaned (RANKcandy)
1	face 1
2	face 2
3	face 3

RANKcarrot

	Value
Label	Rangtest Carrot cleaned (RANKcarrot)
1	face 1
2	face 2
3	face 3

RANKbread

	Value
Label	Rangtest Bread cleaned (RANKbread)
1	face 1
2	face 2
3	face 3

RANKmayonaise

	Value
Label	Rangest Mayonaise cleaned (RANKmayonaise)
1	face 1
2	face 2
3	face 3

RANKsoup

	Value
Label	Rangtest Soup cleaned (RANKsoup)
1	face 1
2	face 2
3	face 3

RANKchocolat

	Value
Label	Rangtest Chocolat cleaned (RANKchocolat)
1	face 1
2	face 2
3	face 3

RANKwhipcream

	Value
Label	Rangtest Whipcream cleaned (RANKwhipcream)
1	face 1
2	face 2
3	face 3

RANKchips

	Value
Label	Rangtest Chips cleaned (RANKchips)
1	face 1
2	face 2
3	face 3

RANKSCOREcandy

	Value
Label	Score Candy cleaned (RANKSCOREcandy)

RANKSCOREcarrot

	Value
Label	Score Carrot cleaned (RANKSCOREcarrot)

RANKSCOREbread

	Value
Label	Score Bread cleaned (RANKSCOREbread)

RANKSCOREmayonaise

	Value
Label	Score Mayonaise cleaned (RANKSCOREmayonaise)

**RANKSCOREsoup**

	Value
Label	Score Soup cleaned (RANKSCOREsoup)

RANKSCOREchocolat

	Value
Label	Score Chocolat cleaned (RANKSCOREchocolat)

RANKSCOREwhipcream

	Value
Label	Score Whipcream cleaned (RANKSCOREwhipcream)

RANKSCOREchips

	Value
Label	Score Chips cleaned (RANKSCOREchips)

PROPchild@5

	Value
Label	PROPttest
1	PROPttest gedaan
2	PROPttest niet gedaan

ReasonNotDonePROPchild@5

	Value
Label	Redenen niet gedaan PROPttest
1	no time (left)
2	no personnel
3	equipment defective/no equipment
4	failed/circumstances participant
5	reason unknown

PROPscore_Nothing_Water

	Value
Label	proeft niks/water
1	box crossed

PROPscore_Dirty

	Value
Label	proeft vies
1	box crossed

PROPscore_Bitter

		Value
Label	proeft bitter	
1	box crossed	

PROPscore_Sour

		Value
Label	proeft zuur	
1	box crossed	

PROPscore_Sourface

		Value
Label	vertrekt gezicht	
1	box crossed	

PROPscore_Salt

		Value
Label	proeft zout	
1	box crossed	

PROPscore_Sweet

		Value
Label	proeft zoet	
1	box crossed	

PROPscore_Soap

		Value
Label	proeft zeep(achtig)	
1	box crossed	

PROPscore_Yummy

		Value
Label	proeft lekker	
1	box crossed	

PROPscore_Spicy

		Value
Label	proeft pittig	
1	box crossed	

PROPscore_Oil

		Value
Label	proeft olie(-achtig)	
1	box crossed	



PROPscore_Toothpaste

	Value
Label	proeft tandpasta
1	box crossed

PROPscore_Paper

	Value
Label	proeft papier
1	box crossed

3d. Lungs child

Focus@5: Lung function

numberofrints

	Value
Label	number of rints available

rintavercalc

	Value
Label	median was missing or wrong
1	missing
2	wrong

rint_timeblock

	Value
Label	rint in 4 tijdsblokken ivm aparatuur
0	start-24.05.2009
1	25.05.2009-30.06.2009
2	01.07.2009-30.04.2011
3	01.05.2011-end

rint5years

	Value
Label	<none>

rint5years_z

	Value
Label	<none>

rint5years_z_cor

	Value
Label	<none>

rint5years_cor

	Value
Label	<none>

3e. Parental cognition

ageMotherCognitionY5

	Value
Label	Age Father Focus at 5

ageFatherCognitionY5

	Value
Label	Age Mother Focus at 5 years (years)

IBF

	Value
Label	<none>
0	absent
1	present

IBFrespondent

	Value
Label	<none>
1	biological mother
3	biological father
5	other

IBFcancel

	Value
Label	IBF completion information
0	completed
1	cancelled

IBFtot

	Value
Label	IBF sum IBFW1 and IBFW2 (watch if both parts available)

IBFW1

	Value
Label	IBF weighted score verbal intelligence functions part 1(A)

IBFW2

	Value
Label	IBF weighted score verbal intelligence functions part 2(B)



IBFscore

	Value
Label	IBF weighted score

IBFraw1

	Value
Label	IBF raw score verbal intelligence functions part 1(A), range 0-16

IBFraw2

	Value
Label	IBF raw score verbal intelligence functions part 2(B), range 0-19

IBFability

	Value
Label	IBF ability parameter = IBF score Z-standardized

IBFtime

	Value
Label	IBF time required for completion, seconds

IBF_PR

	Value
Label	IBF standardized score Percentile-rank scale

IBF_T

	Value
Label	IBF standardized score T-scale, mean 50 sd 10

IBF_Z

	Value
Label	IBF standardized score Z-scale, mean 100, sd 10

IBF_IQ

	Value
Label	IBF standardized score IQ-scale, mean 100, sd 15

IBF_SN

	Value
Label	IBF standardized score Stanine-scale, mean 5, sd 2

IBF_ST

	Value
Label	IBF standardized score Sten-scale, mean 5.5, sd 2

IBF_CO

	Value
Label	IBF standardized score C11-scale, mean 5, sd 2.5

VDR

	Value
Label	VDR available
1	yes

VDRrespondent

	Value
Label	VDR respondent
1	biological mother
3	biological father
5	other

VDRversion

	Value
Label	VDR version original or adapted
0	VDR-original
1	VDR-adapted

VDRcancel

	Value
Label	VDR completion information
0	completed
1	cancelled

VDRability

	Value
Label	VDR ability parameter

VDRtime

	Value
Label	VDR time required for completion, seconds

VDRmtsd

	Value
Label	VDR standard deviation mean time per item, seconds, only available for adapted version

VDRmt

	Value
Label	VDR mean time per item, seconds, only available for adapted version

**VDRitems**

	Value
Label	VDR number of edited/adapted items, only available for adapted version

VDRcorrect

	Value
Label	VDR number of correct items, only available for original version

VDR_PR

	Value
Label	VDR ability standardized score Percentile-rank scale

VDR_T

	Value
Label	VDR ability standardized score T-scale, mean 50 sd 10

VDR_Z

	Value
Label	VDR ability standardized score Z-scale, mean 100, sd 10

VDR_IQ

	Value
Label	VDR ability standardized score IQ-scale, mean 100, sd 15

VDR_SN

	Value
Label	VDR ability standardized score Stanine-scale, mean 5, sd 2

VDR_ST

	Value
Label	VDR ability standardized score Sten-scale, mean 5.5, sd 2

VDR_CO

	Value
Label	VDR ability standardized score C11-scale, mean 5, sd 2.5

APM

	Value
Label	<none>
1	yes

APMrespondent

	Value
Label	<none>
0	No Measurement
1	Biological Mother
3	Biological Father
5	Other

APMscore

	Value
Label	APM total number of correct items, range 0-12

APMcancel

	Value
Label	APM completion information
0	completed
1	cancelled

APMtime

	Value
Label	APM time required for completion, seconds

APM_PR

	Value
Label	APM standardized score Percentile-rank scale

APM_T

	Value
Label	APM standardized score T-scale, mean 50 sd 10

APM_Z

	Value
Label	APM standardized score Z-scale, mean 100, sd 10

APM_IQ

	Value
Label	APM standardized score IQ-scale, mean 100, sd 15

APM_SN

	Value
Label	APM standardized score Stanine-scale, mean 5, sd 2

APM_ST

	Value
Label	APM standardized score Sten-scale, mean 5.5, sd 2

**APM_CO**

	Value
Label	APM standardized score C11-scale, mean 5, sd 2.5

3f. Maternal health**Focus@5: Anthropometrics****HeightMother_Update5**

	Value
Label	Height mother: measured during first intake, updated/corrected with height measured @5

ageMotherYF5

	Value
Label	ageMotherYF5: Age Mother Focus at 5 years (years)

weight_F5mother_CLEAN

	Value
Label	first measured weight Focus at 5

BMIMotherF5

	Value
Label	BMI Mother F5

Focus@5: blood pressure**agemotherF5**

	Value
Label	<none>

SysMother1F5_Cleaned

	Value
Label	SysMother1F5_Cleaned.1: F5 BLOODPRESSURE - mother: 1st Systole (mmHg) (RR060178)

DiasMother1F5_Cleaned

	Value
Label	DiasMother1F5_Cleaned.1: F5 BLOODPRESSURE – mother: 1st Diastole (mmHg) (RR060278)

PulseMother1F5_Cleaned

	Value
Label	PulseMother1F5_Cleaned.1: F5 BLOODPRESSURE – mother: 1st Pulse (mean) (RR060378)

SysMother2F5_Cleaned

	Value
Label	SysMother2F5_Cleaned.1: F5 BLOODPRESSURE – mother: 2nd Systole (mmHg) (RR070178)

DiasMother2F5_Cleaned

	Value
Label	DiasMother2F5_Cleaned.1: F5 BLOODPRESSURE – mother: 2nd Diastole (mmHg) (RR070278)

PulseMother2F5_Cleaned

	Value
Label	PulseMother2F5_Cleaned.1: F5 BLOODPRESSURE – mother: 2nd Pulse (mean) (RR070378)

BandMotherF5_Cleaned

	Value
Label	BandMotherF5_Cleaned.1: F5 BLOODPRESSURE – mother: Used band (added 22-11-2010) (RR070378)
1	Normal
2	Wide

Focus@5: Arterial stiffness

PWVtype

	Value
Label	<none>
1	Child
2	Mother
3	Other

ageMotherYF5pwv

	Value
Label	ageMotherYF5.1: Age Mother Focus at 5 years (years)

CF_TIME_ms

	Value
Label	CF_TIME_ms.1: C-F:_TIME_(ms)

CF_DISTANCE_cm

	Value
Label	CF_DISTANCE_cm.1: C-F:_DISTANCE_(cm)

**CF_PWV_ms**

	Value
Label	CF_PWV_ms.1: C-F: _PWV_(m/s)

CF_TOLERANCE

	Value
Label	CF_TOLERANCE.1: C-F: _TOLERANCE_(%)

ASI

	Value
Label	<none>

Focus@5: Ultrasound heart

visitMotherF5

	Value
Label	Visit Mother Focus at 5
0	No
1	Yes

ageMotherYF5

	Value
Label	Age Mother Focus at 5 years (years)

weightMotherF5_cardio

	Value
Label	<none>

SonographerF5

	Value
Label	Sonographer Focus at 5

DeviceUSF5

	Value
Label	Device US Focus at 5
1	HDI 500
2	Logiq E9

DiagnosisC

	Value
Label	Confirmed Diagnosis by Cardiologist

Cardiac_Abnorm

	Value
Label	Cardiac Abnormality Mother Observed
0	No
1	Yes

DiagnosisD

	Value
Label	Decision to Include or Exclude from Cardiac Analyses
1	Include
2	Exclude

Diagnosis

	Value
Label	Diagnosed Cardiac Abnormality

IVS_D5Ym

	Value
Label	Interventricular Septum in Diastole (IVS_D) mother at 5 Year with outliers

LVD_D5Ym

	Value
Label	Left Ventricular Diameter in Diastole (LVD_D) mother at 5 Year with outliers

LVPW_D5Ym

	Value
Label	Left Ventricular Posterior Wall in Diastole (LVPW_D) mother at 5 Year with outliers

IVS_S5Ym

	Value
Label	Interventricular Septum in Systole (IVS_S) mother at 5 Year with outliers

LVD_S5Ym

	Value
Label	Left Ventricular Diameter in Systole (LVD_S) mother at 5 Year with outliers

LVPW_S5Ym

	Value
Label	Left Ventricular Posterior Wall in Systole (LVPW_S) mother at 5 Year with outliers

HB5Ym

	Value
Label	Heart Beat (HB) mother at 5 Year with outliers



AO_Diam5Ym

	Value
Label	Aortic Root Diameter (AO_Diam) mother at 5 Year with outliers

LA_Diam5Ym

	Value
Label	Left Atrial Diameter (LA_Diam) mother at 5 Year with outliers

HB5Ym_Cleaned

	Value
Label	Heart Beat (HB) mother at 5 Year without invalid measurement 240

IVS_D5Ym_Clean

	Value
Label	IVS_D mother at 5 Year no Outliers removed because of low variability

LVD_D5Ym_Clean

	Value
Label	LVD_D mother at 5 Year without Outliers

LVPW_D5Ym_Clean

	Value
Label	LVPW_D mother at 5 Year without Outliers

IVS_S5Ym_Clean

	Value
Label	IVS_S mother at 5 Year without Outliers

LVD_S5Ym_Clean

	Value
Label	LVD_S mother at 5 Year without Outliers

LVPW_S5Ym_Clean

	Value
Label	LVPW_S mother at 5 Year without Outliers

HB5Ym_Clean

	Value
Label	HB mother at 5 Year without Outliers

AO_Diam5Ym_Clean

	Value
Label	AO_Diam mother at 5 Year without Outliers

LA_Diam5Ym_Clean

	Value
Label	LA_Diam mother at 5 Year without Outliers

LVMass5Ym

	Value
Label	Left Ventricular Mass Calculated of mother at 5 Years with outliers

LV_DV5Ym

	Value
Label	Left Ventricular Diastolic Volume Calculated (LV_DV) of mother at 5 Year with outliers

LV_SV5Ym

	Value
Label	Left Ventricular Systolic Volume Calculated (LV_SV) of mother at 5 Year with outliers

EF5Ym

	Value
Label	Ejection Fraction Calculated (EF) of mother at 5 Year with outliers

FS5Ym

	Value
Label	Fractional Shortening Calculated (FS) of mother at 5 Year with outliers

SV5Ym

	Value
Label	Stroke Volume Calculated (SV) of mother at 5 Year with outliers

CO5Ym

	Value
Label	Cardiac Output Calculated (CO) of mother at 5 Year with outliers

LA_AO5Ym

	Value
Label	Ratio of LA_Diam and AO_Diam Calculated of mother at 5 Years with outliers

IVSD_LVPWD5Ym

	Value
Label	Ratio of IVSD and LVPWD Calculated of mother at 5 Years with outliers

IVS_Thick5Ym

	Value
Label	Fractional IVS thickening (%) Calculated of mother at 5 Years with outliers

**LVPW_Thick5Ym**

	Value
Label	Fractional LVPW thickening (%) Calculated of mother at 5 Years with outliers

LVMass5Ym_Clean

	Value
Label	Left Ventricular Mass Calculated of mother at 5 Years without Outliers

LV_DV5Ym_Clean

	Value
Label	Left Ventricular Diastolic Volume Calculated of mother at 5 Year without Outliers

LV_SV5Ym_Clean

	Value
Label	Left Ventricular Systolic Volume Calculated of mother at 5 Year without Outliers

EF5Ym_Clean

	Value
Label	Ejection Fraction Calculated of mother at 5 Year without Outliers

FS5Ym_Clean

	Value
Label	Fractional Shortening Calculated of mother at 5 Year without Outliers

SV5Ym_Clean

	Value
Label	Stroke Volume Calculated of mother at 5 Year without Outliers

CO5Ym_Clean

	Value
Label	Cardiac Output Calculated of mother at 5 Year without Outliers

LA_AO5Ym_Clean

	Value
Label	Ratio of LA_Diam and AO_Diam Calculated of mother at 5 Years without Outliers

IVSD_LVPWD5Ym_Clean

	Value
Label	Ratio of IVSD and LVPWD Calculated of mother at 5 Years without Outliers

IVS_Thick5Ym_Clean

	Value
Label	Fractional IVS thickening (%) Calculated of mother at 5 Years no Outliers removed because of low variability

LVPW_Thick5Ym_Clean

	Value
Label	Fractional LVPW thickening (%) Calculated of mother at 5 Years no Outliers removed because of low variability

4. Years 5-8: questionnaires

4a. The development of my 5/6 year old child – part 1 (GR1075)

responsGR1075

	Value
Label	Response GR1075 (5 years part 1)
0	Sent
1	Received
9	Never sent

languageGR1075

	Value
Label	Language GR1075 (5 years part 1)
1	Dutch
2	English
4	Turkish

agechild_GR1075

	Value
Label	Age child GR1075 (5 years part 1)

GR1075RBM

	Value
Label	GR1075 filled by - Biological mother - Cleaned (GR1075RBM)
1	Box crossed

GR1075RNM

	Value
Label	GR1075 filled by - Non-biological mother - Cleaned (GR1075RNM)
1	Box crossed

**GR1075RBF**

	Value
Label	GR1075 filled by - Biological father - Cleaned (GR1075RBF)
1	Box crossed

GR1075RNF

	Value
Label	GR1075 filled by - Non-biological father - Cleaned (GR1075RNF)
1	Box crossed

GR1075RO

	Value
Label	GR1075 filled by - Other - Cleaned (GR1075RO)
1	Box crossed

B0300175_1_clean

	Value
Label	Cleaned GR1075 composition of your family - Mother (biological/non-biological) (B03001_1)
1	Box crossed

B0300175_2_clean

	Value
Label	Cleaned GR1075 composition of your family - Father (biological/non-biological) (B03001_2)
1	Box crossed

B0300175_3_clean

	Value
Label	Cleaned GR1075 composition of your family -Children:(<18-years old) (B03001_3)
1	Box crossed

B0300275_clean

	Value
Label	Cleaned GR1075 B3 Sons (B0300275)

B0300375_clean

	Value
Label	Cleaned GR1075 B3 Daughters (B0300375)

B0300475_clean

	Value
Label	Cleaned GR1075 B3 Foster children (B0300475)

B0300575_clean

	Value
Label	Cleaned GR1075 B3 Other family members (B0300575)

B0300675_clean

	Value
Label	Cleaned GR1075 B3 Other non family members (B0300675)

children_household_clean

	Value
Label	Cleaned number of children (B3: sons+daughters+foster children) in household @5

B0400175

	Value
Label	GR1075 B4 Twelve statements about families - a When there are problems, we can count on each other's support (B0400175)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0400275

	Value
Label	GR1075 B4 Twelve statements about families - b It is difficult to make plans to do things together because we don't understand each other (B0400275)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0400375

	Value
Label	GR1075 B4 Twelve statements about families - c Other people are accepted for who they are (B0400375)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

**B0400475**

	Value
Label	GR1075 B4 Twelve statements about families - d We cannot talk to each other about the grief that we feel (B0400475)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0400575

	Value
Label	GR1075 B4 Twelve statements about families - e We can express our feelings to each other (B0400575)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0400675

	Value
Label	GR1075 B4 Twelve statements about families - f We avoid talking about our fears and concerns (B0400675)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0400775

	Value
Label	GR1075 B4 Twelve statements about families - g We feel accepted the way we are (B0400775)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0400875

	Value
Label	GR1075 B4 Twelve statements about families - h There are a great many unpleasant, painful feelings in the family (B0400875)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0400975

	Value
Label	GR1075 B4 Twelve statements about families - i We can make decisions together on how we must solve problems (B0400975)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0401075

	Value
Label	GR1075 B4 Twelve statements about families - j Making decisions is a problem for our family (B0401075)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0401175

	Value
Label	GR1075 B4 Twelve statements about families - k We trust each other (B0401175)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

**B0401275**

	Value
Label	GR1075 B4 Twelve statements about families - I We cannot get along well with each other (B0401275)
1	Disagree strongly
2	Disagree
3	Agree
4	Agree strongly

B0500175

	Value
Label	GR1075 B5 Which description is, at this moment, most applicable to the mother? *
1	Not known
2	Paid work
3	Self-employed
4	Unemployed (WW) receives benefits and is looking for work.
5	Disabled (WAO, AAW etc.)
6	Welfare recipient
7	Housewife
8	Student
9	Other

FAD_5y_1

	Value
Label	<none>

FAD_5y_2

	Value
Label	<none>

FAD_5y_3

	Value
Label	<none>

FAD_5y_4

	Value
Label	<none>

FAD_5y_5

	Value
Label	<none>

FAD_5y_6

	Value
Label	<none>

FAD_5y_7

	Value
Label	<none>

FAD_5y_8

	Value
Label	<none>

FAD_5y_9

	Value
Label	<none>

FAD_5y_10

	Value
Label	<none>

FAD_5y_11

	Value
Label	<none>

FAD_5y_12

	Value
Label	<none>

FAD1_e5

	Value
Label	<none>

FAD2_e5

	Value
Label	<none>

FAD3_e5

	Value
Label	<none>

FAD4_e5

	Value
Label	<none>

**FAD5_e5**

	Value
Label	<none>

FAD6_e5

	Value
Label	<none>

FAD7_e5

	Value
Label	<none>

FAD8_e5

	Value
Label	<none>

FAD9_e5

	Value
Label	<none>

FAD10_e5

	Value
Label	<none>

FAD11_e5

	Value
Label	<none>

FAD12_e5

	Value
Label	<none>

FAD_5y_endorsed

	Value
Label	number of endorsed FAD items 5 yrs report

fadtot_5y

	Value
Label	total score FAD (raw)

fad_score5y

	Value
Label	weighted FAD score, if 75% of data is present

FAD_5y

	Value
Label	<none>
0	Not pathological
1	pathological

B0500175_clean

	Value
Label	GR1075 B5 Which description is, at this moment, most applicable to the mother? (aangevuld met open antwoord)
2	Paid work
3	Self-employed
4	Unemployed (WW) receives benefits and/or is looking for work
5	Disabled (WAO, AAW etc.)
6	Welfare recipient
7	Housewife
8	Student
9	Other non paid (e.g. volunteer work, alimony, other social benefits)

employstatMother@5

	Value
Label	employment status mother @5
1	paid job
2	no paid job

B0700175_clean

	Value
Label	GR1075 B7 How many hours per week does the mother work? (alleen in geval van betaald werk)
1	Less than 8 hours per week
2	8 to 16 hours per week
3	16 to 24 hours per week
4	24 to 32 hours per week
5	32 to 36 hours per week
6	36 to 40 hours per week
7	40 to 48 hours per week
8	More than 48 hours per week

**B1200175_clean**

	Value
Label	GR1075 B12 Which description is, at this moment, most applicable to the father/other caregiver? (aangevuld met open antwoord)
2	Paid work
3	Self-employed
4	Unemployed (WW) receives benefits and/or is looking for work
5	Disabled (WAO, AAW etc.)
6	Welfare recipient
7	Housewife
8	Student
9	Other non paid (e.g. volunteer work, retirement, other social benefits)

employstatFather@5

	Value
Label	employment status father/other caregiver @5
1	paid job
2	no paid job

B1400175_clean

	Value
Label	GR1075 B14 How many hours per week does the father/other caregiver work? (alleen in geval van betaald werk)
1	Father/other caregiver does not work
2	Less than 8 hours per week
3	8 to 16 hours per week
4	16 to 24 hours per week
5	24 to 32 hours per week
6	32 to 36 hours per week
7	36 to 40 hours per week
8	40 to 48 hours per week
9	More than 48 hours per week

C0400175

	Value
Label	GR1075 C4 Does your child go to pre-school care and how often per week does he/she go?
1	Never or less than once per week
2	once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

C0500175

	Value
Label	GR1075 C5 Where does your child go at lunchtime and how often does this occur - a Child comes home
1	Never or less than once per week
2	once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

C0500275

	Value
Label	GR1075 C5 Where does your child go at lunchtime and how often does this occur - b Child goes to family member/host family/neighbors/with a friend
1	Never or less than once per week
2	once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

**C0500375**

	Value
Label	GR1075 C5 Where does your child go at lunchtime and how often does this occur - c Child goes to out-of-school care
1	Never or less than once per week
2	once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

C0500475

	Value
Label	GR1075 C5 Where does your child go at lunchtime and how often does this occur - d Child stays at school
1	Never or less than once per week
2	once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

C0600175

	Value
Label	GR1075 C6 Where does your child go after school - a Child comes home
1	Never or less than once per week
2	once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

C0600275

	Value
Label	GR1075 C6 Where does your child go after school - b Child goes to family member/host family/neighbors/with a friend
1	Never or less than once per week
2	once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

C0600375

	Value
Label	GR1075 C6 Where does your child go after school - c Child goes to out-of-school care
1	Never or less than once per week
2	once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

D0100175

	Value
Label	GR1075 D1 On average, how many days per week does your child walk from home to school or back? (D0100175)
1	Never
2	1 day per week
3	2 days per week
4	3 days per week
5	4 days per week
6	5 days per week

**D0100275**

	Value
Label	GR1075 D1 How many times per day does the child walk (on average) one way between home and school? (D0100275)
1	1 time per day
2	2 times per day
3	3 times per day (child comes home for lunch)
4	4 times per day (child comes home for lunch)

D0100375

	Value
Label	GR1075 D1 How many minutes does it take your child, on average, to walk from home to school (one way)? (D0100375)
1	Less than 5 minutes
2	5 to 10 minutes
3	10 to 15 minutes
4	15 to 20 minutes
5	20 to 30 minutes
6	More than 30 minutes

D0200175

	Value
Label	GR1075 D2 On average, how many days per week does your child cycle him/herself from home to school or back? (D0200175)
1	Never
2	1 day per week
3	2 days per week
4	3 days per week
5	4 days per week
6	5 days per week

D0200275

	Value
Label	GR1075 D2 How many times per day does the child cycle (on average) one way between home and school? (D0200275)
1	1 time per day
2	2 times per day
3	3 times per day (child comes home for lunch)
4	4 times per day (child comes home for lunch)

D0200375

	Value
Label	GR1075 D2 How many minutes does it take your child, on average, to cycle from home to school (one way)? (D0200375)
1	Less than 5 minutes
2	5 to 10 minutes
3	10 to 15 minutes
4	15 to 20 minutes
5	20 to 30 minutes
6	More than 30 minutes

D0300175

	Value
Label	GR1075 D3 How often per week does your child have physical education at school? (D0300175)
1	Never
2	1 day per week
3	2 days per week
4	3 days per week

D0300275

	Value
Label	GR1075 D3 How long is the average physical education lesson? (D0300275)
1	Less than 30 minutes
2	30 to 60 minutes
3	More than 1 hour

D0400175

	Value
Label	GR1075 D4 Is your child taking swimming lessons? (D0400175)
1	No
2	Yes, 1 time per week
3	Yes, 2 times per week
4	Yes, 3 or more times per week

**D0400275**

	Value
Label	GR1075 D4 How long is the average swimming lesson? (D0400275)
1	Less than 30 minutes
2	30 to 60 minutes
3	More than 1 hour

D0600175

	Value
Label	GR1075 D6 On average, how many weekdays per week does your child play outside? (D0600175)
1	Never on weekdays
2	1 day per week
3	2 days per week
4	3 days per week
5	4 days per week
6	Every weekday

D0600275

	Value
Label	GR1075 D6 On average, how many week-end days per week does your child play outside? (D0600275)
1	Never in the weekend
2	1 day in the week-end
3	2 days in the weekend

D0700175

	Value
Label	GR1075 D7 child plays outside Mornings - How long on weekdays? (D0700175)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D0700275

	Value
Label	GR1075 D7 child plays outside Mornings - How long on week-ends? (D0700275)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D0700375

	Value
Label	GR1075 D7 child plays outside Afternoons - How long on weekdays? (D0700375)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D0700475

	Value
Label	GR1075 D7 child plays outside Afternoons - How long on week-ends? (D0700475)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

**D0700575**

	Value
Label	GR1075 D7 child plays outside Evenings after dinner - How long on weekdays? (D0700575)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D0700675

	Value
Label	GR1075 D7 child plays outside Evenings after dinner - How long on week-ends? (D0700675)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D0800175

	Value
Label	GR1075 D8 To what extent do you keep track of how often your child does - a Playing outside (D0800175)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D0800275

	Value
Label	GR1075 D8 To what extent do you keep track of how often your child does - b Watching television/video/DVD's (D0800275)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

0800375

	Value
Label	GR1075 D8 To what extent do you keep track of how often your child does - c Computer games (including playstation, gameboy,nintendo) (D0800375)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D0800475

	Value
Label	GR1075 D8 To what extent do you keep track of how often your child does - d Participating in sports or exercise (D0800475)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D0800575

	Value
Label	GR1075 D8 To what extent do you keep track of how often your child does - e Eating breakfast every day (D0800575)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

**D0800675**

	Value
Label	GR1075 D8 To what extent do you keep track of how often your child does - f Drinking sweet drinks (D0800675)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D0900175

	Value
Label	GR1075 D9 How often is your child allowed to decide for himself if he/she does - a Playing outside (D0900175)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D0900275

	Value
Label	GR1075 D9 How often is your child allowed to decide for himself if he/she does - b Watching television/video/DVD's (D0900275)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D0900375

	Value
Label	GR1075 D9 How often is your child allowed to decide for himself if he/she does - c Computer games (including playstation, gameboy,nintendo) (D0900375)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D0900475

	Value
Label	GR1075 D9 How often is your child allowed to decide for himself if he/she does - d Participating in sports or exercise (D0900475)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D0900575

	Value
Label	GR1075 D9 How often is your child allowed to decide for himself if he/she does - e Eating breakfast every day (D0900575)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D0900675

	Value
Label	GR1075 D9 How often is your child allowed to decide for himself if he/she does - f Drinking sweet drinks (D0900675)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1000175

	Value
Label	GR1075 D10 How often do you tell your child that he must do the following - a Play outside (D1000175)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

**D1000275**

	Value
Label	GR1075 D10 How often do you tell your child that he must do the following - b Turn off television/video/DVD's (D1000275)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1000375

	Value
Label	GR1075 D10 How often do you tell your child that he must do the following - c Turn off computer (including playstation, gameboy,nintendo) (D1000375)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1000475

	Value
Label	GR1075 D10 How often do you tell your child that he must do the following - d Participate in sports or exercise (D1000475)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1000575

	Value
Label	GR1075 D10 How often do you tell your child that he must do the following - e Eat breakfast (D1000575)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1000675

	Value
Label	GR1075 D10 How often do you tell your child that he must do the following - f Not drink sweet drinks (D1000675)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1100175

	Value
Label	GR1075 D11 How many television sets do you have in the house? (D1100175)
1	None
2	1
3	2
4	3
5	4 or more

D1200175

	Value
Label	GR1075 D12 Does your child have his/her own television set in his/her bedroom? (D1200175)
0	No
1	Yes

D1300175

	Value
Label	GR1075 D13 On average, how many weekdays per week does your child watch television/video/DVD? (D1300175)
1	Never on weekdays
2	1 day per week
3	2 days per week
4	3 days per week
5	4 days per week
6	Every weekday

**D1300275**

	Value
Label	GR1075 D13 On average, how many week-end days per week does your child watch television/video/DVD? (D1300275)
1	Never in the weekend
2	1 day in the week-end
3	2 days in the weekend

D1400175

	Value
Label	GR1075 D14 child watches television/video/DVD Mornings - How long on weekdays? (D1400175)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D1400275

	Value
Label	GR1075 D14 child watches television/video/DVD Mornings - How long on week-ends? (D1400275)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D1400375

	Value
Label	GR1075 D14 child watches television/video/DVD Afternoons - How long on weekdays? (D1400375)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D1400475

	Value
Label	GR1075 D14 child watches television/video/DVD Afternoons - How long on week-ends? (D1400475)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D1400575

	Value
Label	GR1075 D14 child watches television/video/DVD Evenings after dinner - How long on weekdays? (D1400575)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D1400675

	Value
Label	GR1075 D14 child watches television/video/DVD Evenings after dinner - How long on week-ends? (D1400675)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

**D1500175**

	Value
Label	GR1075 D15 Does your child watch television/video/DVD during breakfast and/or dinner? (D1500175)
1	No, never
2	Yes, 1 day per week
3	Yes, 2 days per week
4	Yes, 3 days per week
5	Yes, 4 days per week
6	Yes, 5 days per week
7	Yes, 6 days per week
8	Yes, every day

D1600175

	Value
Label	GR1075 D16 How often does your child normally eat a calorie-rich snack (for example chips, nuts, chocolate(bars), cookies and/or ice cream) while watching television, video or DVD? (D1600175)
1	Never
2	Almost never
3	Sometimes
4	Often
5	Very often

D1600275

	Value
Label	GR1075 D16 How often, on average, does your child drink sweet drinks (for example, sodas, fruit juices, lemonade, and sweetened milk products such as yoki-drink, chocomel and fristi) while watching television, video or DVD? (D1600275)
1	Never
2	Almost never
3	Sometimes
4	Often
5	Very often

D1700175

	Value
Label	GR1075 D17 How often does your child watch television programs in which violence occurs? (D1700175)
1	Never
2	1 day per month
3	2 days per month
4	3 days per month
5	1 day per week
6	2 day per week
7	3 day per week
8	4 day per week
9	5 day per week
10	6 day per week
11	Every day

D1700275

	Value
Label	GR1075 D17 How often does your child watch videos or DVD's in which violence occurs? (D1700275)
1	Never
2	1 day per month
3	2 days per month
4	3 days per month
5	1 day per week
6	2 day per week
7	3 day per week
8	4 day per week
9	5 day per week
10	6 day per week
11	Every day

**D1800175**

	Value
Label	GR1075 D18 Television, video or DVD behavior of your child - a I talk to my child about what he watches on television, video or DVD (D1800175)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1800275

	Value
Label	GR1075 D18 Television, video or DVD behavior of your child - b I watch television, video or DVD together with my child (D1800275)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1800375

	Value
Label	GR1075 D18 Television, video or DVD behavior of your child - c My child watches television, video or DVD without an adult present (D1800375)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1800475

	Value
Label	GR1075 D18 Television, video or DVD behavior of your child - d I limit the time that my child watches television (D1800475)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D1900175

		Value
Label		GR1075 D19 Do you have a (game)computer (including such game computers as a playstation, gameboy, nintendo etc.) at home? (D1900175)
0		No
1		Yes

D2000175

		Value
Label		GR1075 D20 Does your child use a (game)computer in his/her bedroom? (D2000175)
0		No
1		Yes

D2100175

		Value
Label		GR1075 D21 On average, how many weekdays in the week does your child use the (game)computer? (D2100175)
1		Never on weekdays
2		1 day per week
3		2 days per week
4		3 days per week
5		4 days per week
6		Every weekday

D2100275

		Value
Label		GR1075 D21 On average, how many week-end days does your child use the (game)computer? (D2100275)
1		Never in the weekend
2		1 day in the week-end
3		2 days in the weekend

**D2200175**

	Value
Label	GR1075 D22 child uses the (game)computer Mornings - How long on weekdays? (D2200175)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D2200275

	Value
Label	GR1075 D22 child uses the (game)computer Mornings - How long on week-ends? (D2200275)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D2200375

	Value
Label	GR1075 D22 child uses the (game)computer Afternoons - How long on weekdays? (D2200375)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D2200475

	Value
Label	GR1075 D22 child uses the (game)computer Afternoons - How long on week-ends? (D2200475)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D2200575

	Value
Label	GR1075 D22 child uses the (game)computer Evenings after dinner - How long on weekdays? (D2200575)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

D2200675

	Value
Label	GR1075 D22 child uses the (game)computer Evenings after dinner - How long on week-ends? (D2200675)
1	Never
2	Less than 30 minutes
3	30-60 minutes
4	1-2 hours
5	2-3 hours
6	3-4 hours

**D2300175**

	Value
Label	GR1075 D23 How often does your child normally eat a calorie-rich snack (for example, chips, nuts, chocolate(bars), cookies and/or ice cream) while playing a video or computer game? (D2300175)
1	Never
2	Almost never
3	Sometimes
4	Often
5	Very often

D2300275

	Value
Label	GR1075 D23 How often, on average, does your child drink sweet drinks (for example, sodas, fruit juices, lemonade or sweetened milk products, such as yoki-drink, Chocomel en Fristi) while playing a video or computer game? (D2300275)
1	Never
2	Almost never
3	Sometimes
4	Often
5	Very often

D2400175

	Value
Label	GR1075 D24 How often does your child watch video or computer games in which violence occurs? By violence, we mean all the violence that living beings do to each other (D2400175)
1	Never
2	1 day per month
3	2 days per month
4	3 days per month
5	1 day per week
6	2 day per week
7	3 day per week
8	4 day per week
9	5 day per week
10	6 day per week
11	Every day

D2500175

	Value
Label	GR1075 D25 How you deal with the video and computer use of your child - a I talk to my child about what he watches on the video or computer game (D2500175)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D2500275

	Value
Label	GR1075 D25 How you deal with the video and computer use of your child - b I play the video or computer games together with my child (D2500275)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

D2500375

	Value
Label	GR1075 D25 How you deal with the video and computer use of your child - c My child plays video or computer games without an adult present (D2500375)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

**D2500475**

	Value
Label	GR1075 D25 How you deal with the video and computer use of your child - d I limit the time that my child is allowed to play video or computer games (D2500475)
1	Never
2	Seldom
3	Sometimes
4	Often
5	Always

E0100175

	Value
Label	GR1075 E1 Eating habits on weekdays - a How often does your child eat breakfast? (E0100175)
1	Never
2	Once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

E0100275

	Value
Label	GR1075 E1 Eating habits on weekdays - b How often does your child eat lunch? (E0100275)
1	Never
2	Once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

E0100375

	Value
Label	GR1075 E1 Eating habits on weekdays - c How often does your child eat dinner? (E0100375)
1	Never
2	Once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

E0100475

	Value
Label	GR1075 E1 Eating habits on weekdays - d How often do you have breakfast with your child/children at the table? (E0100475)
1	Never
2	Once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

E0100575

	Value
Label	GR1075 E1 Eating habits on weekdays - e How often do you have dinner with your child/children at the table? (E0100575)
1	Never
2	Once per week
3	2 times per week
4	3 times per week
5	4 times per week
6	5 times per week

E0200175

	Value
Label	GR1075 E2 Eating habits in week-end - a How often does your child eat breakfast? (E0200175)
1	Never
2	1 day in the weekend
3	2 days in the weekend

**E0200275**

	Value
Label	GR1075 E2 Eating habits in week-end - b How often does your child eat lunch? (E0200275)
1	Never
2	1 day in the weekend
3	2 days in the weekend

E0200375

	Value
Label	GR1075 E2 Eating habits in week-end - c How often does your child eat dinner? (E0200375)
1	Never
2	1 day in the weekend
3	2 days in the weekend

E0200475

	Value
Label	GR1075 E2 Eating habits in week-end - d How often do you have breakfast with your child/children at the table? (E0200475)
1	Never
2	1 day in the weekend
3	2 days in the weekend

E0200575

	Value
Label	GR1075 E2 Eating habits in week-end - e How often do you have dinner with your child/children at the table? (E0200575)
1	Never
2	1 day in the weekend
3	2 days in the weekend

E0300175

	Value
Label	GR1075 E3 How often, on average, does your child eat a calorie-rich snack on a weekday? (E0300175)
1	Never or less than once per day
2	Once per day
3	2 or 3 times per day
4	4 to 6 times per day
5	7 or more times per day

E0300275

	Value
Label	GR1075 E3 How often, on average, does your child eat a calorie-rich snack on a week-end day? (E0300275)
1	Never or less than once per day
2	Once per day
3	2 or 3 times per day
4	4 to 6 times per day
5	7 or more times per day

E0400175_cleaned

	Value
Label	GR1075 E4 Sweet drinks - a How many glasses/packages of sweet drinks does your child drink, on average, on a weekday? (E0400175_cleaned)
1	None or less than 1
2	1
3	2
4	3
5	4
6	5
7	6
8	7 or more

E0400275_cleaned

	Value
Label	GR1075 E4 Sweet drinks - a How many glasses/packages of sweet drinks does your child drink, on average, on a weekendday? (E0400275_cleaned)
1	None or less than 1
2	1
3	2
4	3
5	4
6	5
7	6
8	7 or more

**E0400375_cleaned**

	Value
Label	GR1075 E4 Sweet drinks - c How many glasses/cups of water or tea without sugar does your child drink, on average, on a weekday? (E0400375_cleaned)
1	None or less than 1
2	1
3	2
4	3
5	4
6	5
7	6
8	7 or more

E0400475_cleaned

	Value
Label	GR1075 E4 Sweet drinks - d How many glasses/cups of water or tea without sugar does your child drink, on average, on a week-end day?(E0400475_cleaned)
1	None or less than 1
2	1
3	2
4	3
5	4
6	5
7	6
8	7 or more

F0100175

	Value
Label	GR1075 F1 Condition past year - a Ear infection (F0100175)
1	No
2	Yes, did not go to the doctor
3	Yes, went to the family doctor
4	Yes, went to the hospital

F0100275

	Value
Label	GR1075 F1 Condition past year - b Sore throat (F0100275)
1	No
2	Yes, did not go to the doctor
3	Yes, went to the family doctor
4	Yes, went to the hospital

F0100375

	Value
Label	GR1075 F1 Condition past year - c Spurious croup (F0100375)
1	No
2	Yes, did not go to the doctor
3	Yes, went to the family doctor
4	Yes, went to the hospital

F0100475

	Value
Label	GR1075 F1 Condition past year - d Bronchitis (F0100475)
1	No
2	Yes, did not go to the doctor
3	Yes, went to the family doctor
4	Yes, went to the hospital

F0100575

	Value
Label	GR1075 F1 Condition past year - e Pneumonia (F0100575)
1	No
2	Yes, did not go to the doctor
3	Yes, went to the family doctor
4	Yes, went to the hospital

F0100675

	Value
Label	GR1075 F1 Condition past year - f Gastroenteritis, stomach flu and/of diarrhea (F0100675)
1	No
2	Yes, did not go to the doctor
3	Yes, went to the family doctor
4	Yes, went to the hospital

**F0100775**

	Value
Label	GR1075 F1 Condition past year - g Impetigo (F0100775)
1	No
2	Yes, did not go to the doctor
3	Yes, went to the family doctor
4	Yes, went to the hospital

F0100875

	Value
Label	GR1075 F1 Condition past year - h Urinary tract infection or bladder infection (F0100875)
1	No
2	Yes, did not go to the doctor
3	Yes, went to the family doctor
4	Yes, went to the hospital

F0200175

	Value
Label	GR1075 F2 Visit doctor past year - a Ear infection (F0200175)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0200275

	Value
Label	GR1075 F2 Visit doctor past year - b Sore throat (F0200275)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0200375

	Value
Label	GR1075 F2 Visit doctor past year - c Spurious croup (false croup) (F0200375)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0200475

	Value
Label	GR1075 F2 Visit doctor past year - d Bronchitis (F0200375)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0200575

	Value
Label	GR1075 F2 Visit doctor past year - e Pneumonia (F0200575)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0200675

	Value
Label	GR1075 F2 Visit doctor past year - f Gastroenteritis, stomach flu and/of diarrhea (F0200675)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0200775

	Value
Label	GR1075 F2 Visit doctor past year - g Impetigo (F0200775)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0200875

	Value
Label	GR1075 F2 Visit doctor past year - h Urinary tract infection or bladder infection (F0200875)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

**F0300175**

	Value
Label	GR1075 F3 Was your child given antibiotics during the past year because of a fever? (F0300175)
1	Never
2	Yes, for 1 or 2 periods of illness
3	Yes, for 3 or 4 periods of illness
4	Yes for 5 or more periods of illness

F0400175

	Value
Label	GR1075 F4 At what age did your child first go to the dentist? (F0400175)
1	Younger than 2 years old
2	2 to 3 years old
3	3 to 4 years old
4	Older than 4
5	Never, go on to question 5

F0400275

	Value
Label	GR1075 F4 What was the reason for that visit? (F0400275)
1	Check-up
2	Toothache
3	Cavity in tooth or molar

F0400375

	Value
Label	GR1075 F4 Has your child been to the dentist in the past year? (F0400375)
0	No
1	Yes

F0400475

	Value
Label	GR1075 F4 What was the reason for that visit? (F0400475)
1	Check-up
2	Toothache
3	Cavity in tooth or molar

F0400575

	Value
Label	GR1075 F4 How often, on average, does your child brush his/her teeth? (F0400575)
1	once per day
2	twice per day
3	More than twice per day

F0500175

	Value
Label	GR1075 F5 Ever undergone operation/procedure - a Removal of the adenoids (F0500175)
0	No
1	Yes

F0500275

	Value
Label	GR1075 F5 Ever undergone operation/procedure - b Removal of the tonsils (F0500275)
0	No
1	Yes

F0500375

	Value
Label	GR1075 F5 Ever undergone operation/procedure - c Inserting grommets in the ears (middle-ear aeration) (F0500375)
0	No
1	Yes

F0500475

	Value
Label	GR1075 F5 If so, how often have the grommets been inserted in the ears? (if grommets were inserted in both ears at the same time, that counts as 1 time) (F0500475)
1	1 time
2	2 times
3	3 or more times

**F0600175**

	Value
Label	GR1075 F6 Allergie diagnosed by doctor - a Pollen (F0600175)
1	No
2	Yes, allergic but not diagnosed by a doctor
3	Yes, allergic and diagnosed by a doctor

F0600275

	Value
Label	GR1075 F6 Allergie diagnosed by doctor - b House dust or house dust mite (F0600275)
1	No
2	Yes, allergic but not diagnosed by a doctor
3	Yes, allergic and diagnosed by a doctor

F0600375

	Value
Label	GR1075 F6 Allergie diagnosed by doctor - c Specific pets (F0600375)
1	No
2	Yes, allergic but not diagnosed by a doctor
3	Yes, allergic and diagnosed by a doctor

F0600475

	Value
Label	GR1075 F6 Allergie diagnosed by doctor - d Specific drugs (F0600475)
1	No
2	Yes, allergic but not diagnosed by a doctor
3	Yes, allergic and diagnosed by a doctor

F0600575

	Value
Label	GR1075 F6 Allergie diagnosed by doctor - e Specific foods (F0600575)
1	No
2	Yes, allergic but not diagnosed by a doctor
3	Yes, allergic and diagnosed by a doctor

F0700175

	Value
Label	GR1075 F7 Has your child had a fever in the past year? (F0700175)
0	No
1	Yes

F0800175

	Value
Label	GR1075 F8 Symptoms past year - a Fever with coughing (F0800175)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0800275

	Value
Label	GR1075 F8 Symptoms past year - b Fever with a runny or stopped up nose (F0800275)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0800375

	Value
Label	GR1075 F8 Symptoms past year - c Fever with coughing and a runny or stopped up nose (F0800375)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0800475

	Value
Label	GR1075 F8 Symptoms past year - d Fever with ear ache (F0800475)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0800575

	Value
Label	GR1075 F8 Symptoms past year - e Fever with rash (F0800575)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

**F0800675**

	Value
Label	GR1075 F8 Symptoms past year - f Fever with vomiting or diarrhea (F0800675)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0800775

	Value
Label	GR1075 F8 Symptoms past year - g Fever with joint pain (F0800775)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0800875

	Value
Label	GR1075 F8 Symptoms past year - h Fever with no other symptoms (F0800875)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0800975

	Value
Label	GR1075 F8 Symptoms past year - i Fever with other symptoms (F0800975)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0900175

	Value
Label	GR1075 F9 Visited doctor for symptoms past year - a Fever with coughing (F0900175)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0900275

	Value
Label	GR1075 F9 Visited doctor for symptoms past year - b Fever with a runny or stopped up nose (F0900275)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0900375

	Value
Label	GR1075 F9 Visited doctor for symptoms past year - c Fever with coughing and a runny or stopped up nose (F0900375)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0900475

	Value
Label	GR1075 F9 Visited doctor for symptoms past year - d Fever with ear ache (F0900475)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

**F0900575**

	Value
Label	GR1075 F9 Visited doctor for symptoms past year - e Fever with rash (F0900575)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0900675

	Value
Label	GR1075 F9 Visited doctor for symptoms past year - f Fever with vomiting or diarrhea (F0900675)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0900775

	Value
Label	GR1075 F9 Visited doctor for symptoms past year - g Fever with joint pain (F0900775)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0900875

	Value
Label	GR1075 F9 Visited doctor for symptoms past year - h Fever with no other symptoms (F0900875)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F0900975

Value	
Label	GR1075 F9 Visited doctor for symptoms past year - i Fever with other symptoms (F0900975)
1	Never
2	1 or 2 times
3	3 or 4 times
4	5 or more times

F1000175

Value	
Label	GR1075 F10 Has your child had pain in the past three months? (F1000175)
1	No pain
2	Has complained of pain

F1100175

Value	
Label	GR1075 F11 How long has your child had pain (F1100175)?
1	Shorter than 3 months
2	Longer than 3 months

F1200175

Value	
Label	use divided variables GR1075 F12 Where does your child have the pain? (F1200175)
1	head
2	stomach
3	back
4	arms or legs
5	neck
6	throat
7	ear
8	chest
9	other

F1200175_1

Value	
Label	GR1075 Where does your child have the pain - Head (F1200175_10)
1	Box crossed

**F1200175_2**

	Value
Label 1	GR1075 Where does your child have the pain - Stomach (F1200175_2) Box crossed

F1200175_3

	Value
Label 1	GR1075 Where does your child have the pain - Back (F1200175_3) Box crossed

F1200175_4

	Value
Label 1	GR1075 Where does your child have the pain - Arms or legs (F1200175_4) Box crossed

F1200175_5

	Value
Label 1	GR1075 Where does your child have the pain - Neck (F1200175_5) Box crossed

F1200175_6

	Value
Label 1	GR1075 Where does your child have the pain - Throat (F1200175_6) Box crossed

F1200175_7

	Value
Label 1	GR1075 Where does your child have the pain - Ear (F1200175_7) Box crossed

F1200175_8

	Value
Label 1	GR1075 Where does your child have the pain - Chest (F1200175_8) Box crossed

F1600175

	Value
Label	GR1075 F16 How bad is this pain? (Indicate with a mark on this line how bad the pain is. More to the right means that the pain is worse. More to the left means that the pain is less severe (F1600175))

G0100175

	Value
Label	GR1075 G1 - 1 Aches or pains (without medical cause; do not include stomach or headaches)
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0100275

	Value
Label	GR1075 G1 - 2 Acts too young for age
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0100375

	Value
Label	GR1075 G1 - 3 Afraid to try new things
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0100475

	Value
Label	GR1075 G1 - 4 Avoids looking others in the eye
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0100575

	Value
Label	GR1075 G1 - 5 Can't concentrate, can't pay attention for long
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0100675

	Value
Label	GR1075 G1 - 6 Can't sit still, restless or hyperactive
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

**G0100775**

	Value
Label	GR1075 G1 - 7 Can't stand having things out of place
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0100875

	Value
Label	GR1075 G1 - 8 Can't stand waiting, wants everything now
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0100975

	Value
Label	GR1075 G1 - 9 Chews on things that aren't edible
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0101075

	Value
Label	GR1075 G1 - 10 Clings to adults or too dependent
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0101175

	Value
Label	GR1075 G1 - 11 Constantly seeks help
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0101275

	Value
Label	GR1075 G1 - 12 Constipated, doesn't move bowels (when not sick)
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0101375

	Value
Label	GR1075 G1 - 13 Cries a lot
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0101475

	Value
Label	GR1075 G1 - 14 Cruel to animals
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0101575

	Value
Label	GR1075 G1 - 15 Defiant
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0101675

	Value
Label	GR1075 G1 - 16 Demands must be met immediately
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0101775

	Value
Label	GR1075 G1 - 17 Destroys his/her own things
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0101875

	Value
Label	GR1075 G1 - 18 Destroys things belonging to his/her family or other children
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

**G0101975**

	Value
Label	GR1075 G1 - 19 Diarrhea or loose bowels (when not sick)
1	Not at all applicable(as far asyou know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102075

	Value
Label	GR1075 G1 - 20 Disobedient
1	Not at all applicable(as far asyou know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102175

	Value
Label	GR1075 G1 - 21 Disturbed by any change in routine
1	Not at all applicable(as far asyou know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102275

	Value
Label	GR1075 G1 - 22 Doesn't want to sleep alone
1	Not at all applicable(as far asyou know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102375

	Value
Label	GR1075 G1 - 23 Doesn't answer when people talk to him/her
1	Not at all applicable(as far asyou know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102475

	Value
Label	GR1075 G1 - 24 Doesn't eat well
1	Not at all applicable(as far asyou know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102575

	Value
Label	GR1075 G1 - 25 Doesn't get along with other children
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102675

	Value
Label	GR1075 G1 - 26 Doesn't know how to have fun, acts like a little adult
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102775

	Value
Label	GR1075 G1 - 27 Doesn't seem to feel guilty after misbehaving
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102875

	Value
Label	GR1075 G1 - 28 Doesn't want to go out of home
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0102975

	Value
Label	GR1075 G1 - 29 Easily frustrated
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0103075

	Value
Label	GR1075 G1 - 30 Easily jealous
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

**G0103175**

	Value
Label	GR1075 G1 - 31 Eats or drinks things that are not food - don't include sweets
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0103275

	Value
Label	GR1075 G1 - 32 Fears certain animals, situations or places
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0103375

	Value
Label	GR1075 G1 - 33 Feelings are easily hurt
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0103475

	Value
Label	GR1075 G1 - 34 Gets hurt a lot, accident-prone
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0103575

	Value
Label	GR1075 G1 - 35 Gets in many fights
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0103675

	Value
Label	GR1075 G1 - 36 Gets into everything
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0103775

	Value
Label	GR1075 G1 - 37 Gets too upset when separated from parents
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0103875

	Value
Label	GR1075 G1 - 38 Has trouble getting to sleep
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0103975

	Value
Label	GR1075 G1 - 39 Headaches (without medical cause)
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0104075

	Value
Label	GR1075 G1 - 40 Hits others
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0104175

	Value
Label	GR1075 G1 - 41 Holds his/her breath
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0104275

	Value
Label	GR1075 G1 - 42 Hurts animals or people without meaning to
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

**G0104375**

	Value
Label	GR1075 G1 - 43 Looks unhappy without good reason
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0104475

	Value
Label	GR1075 G1 - 44 Angry moods
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0104575

	Value
Label	GR1075 G1 - 45 Nausea, feels sick (without medical cause)
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0104675

	Value
Label	GR1075 G1 - 46 Nervous movements or twitching
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0104775

	Value
Label	GR1075 G1 - 47 Nervous, highstrung or tense
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0104875

	Value
Label	GR1075 G1 - 48 Nightmares
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0104975

	Value
Label	GR1075 G1 - 49 Overeating
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0105075

	Value
Label	GR1075 G1 - 50 Overtired
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0105175

	Value
Label	GR1075 G1 - 51 Shows panic for no good reason
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0105275

	Value
Label	GR1075 G1 - 52 Painful bowel movements (without medical cause)
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0105375

	Value
Label	GR1075 G1 - 53 Physically attacks people
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0105475

	Value
Label	GR1075 G1 - 54 Picks nose, skin or other parts of body
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

**G0105575**

	Value
Label	GR1075 G1 - 55 Plays with own sex parts too much
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0105675

	Value
Label	GR1075 G1 - 56 Poorly coordinated or clumsy
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0105775

	Value
Label	GR1075 G1 - 57 Problems with eyes (without medical cause)
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0105875

	Value
Label	GR1075 G1 - 58 Punishment doesn't change his/her behavior
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0105975

	Value
Label	GR1075 G1 - 59 Quickly shifts from one activity to another
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0106075

	Value
Label	GR1075 G1 - 60 Rashes or other skin problems (without medical cause)
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0106175

	Value
Label	GR1075 G1 - 61 Refuses to eat
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0106275

	Value
Label	GR1075 G1 - 62 Refuses to play active games
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0106375

	Value
Label	GR1075 G1 - 63 Repeatedly rocks head or body
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0106475

	Value
Label	GR1075 G1 - 64 Resists going to bed at night
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0106575

	Value
Label	GR1075 G1 - 65 Resists toilet training
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0106675

	Value
Label	GR1075 G1 - 66 Screams a lot
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

**G0106775**

	Value
Label	GR1075 G1 - 67 Seems unresponsive to affection
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0106875

	Value
Label	GR1075 G1 - 68 Self-conscious or easily embarrassed
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0106975

	Value
Label	GR1075 G1 - 69 Selfish or won't share
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0107075

	Value
Label	GR1075 G1 - 70 Shows little affection toward people
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0107175

	Value
Label	GR1075 G1 - 71 Shows little interest in things around him/her
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0107275

	Value
Label	GR1075 G1 - 72 Shows too little fear of getting hurt
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0107375

	Value
Label	GR1075 G1 - 73 Too shy or timid
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0107475

	Value
Label	GR1075 G1 - 74 Sleeps less than most kids during day and/or night
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0107575

	Value
Label	GR1075 G1 - 75 Smears or plays with bowel movements
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0107675

	Value
Label	GR1075 G1 - 76 Speech problem
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0107775

	Value
Label	GR1075 G1 - 77 Stares into space or seems preoccupied
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0107875

	Value
Label	GR1075 G1 - 78 Stomachaches or cramps (without medical cause)
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

**G0107975**

	Value
Label	GR1075 G1 - 79 Rapid shifts between sadness and excitement
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108075

	Value
Label	GR1075 G1 - 80 Strange behavior
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108175

	Value
Label	GR1075 G1 - 81 Stubborn, sullen or irritable
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108275

	Value
Label	GR1075 G1 - 82 Sudden changes in mood or feelings
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108375

	Value
Label	GR1075 G1 - 83 Sulks a lot
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108475

	Value
Label	GR1075 G1 - 84 Talks or cries out in sleep
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108575

	Value
Label	GR1075 G1 - 85 Temper tantrums or hot temper
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108675

	Value
Label	GR1075 G1 - 86 Too concerned with neatness or cleanliness
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108775

	Value
Label	GR1075 G1 - 87 Too fearful or anxious
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108875

	Value
Label	GR1075 G1 - 88 Uncooperative
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0108975

	Value
Label	GR1075 G1 - 89 Underactive, slow moving or lacks energy
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0109075

	Value
Label	GR1075 G1 - 90 Unhappy, sad or depressed
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

**G0109175**

	Value
Label	GR1075 G1 - 91 Unusually loud
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0109275

	Value
Label	GR1075 G1 - 92 Upset by new people or situations
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0109375

	Value
Label	GR1075 G1 - 93 Vomiting, throwing up (without medical cause)
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0109475

	Value
Label	GR1075 G1 - 94 Wakes up often at night
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0109575

	Value
Label	GR1075 G1 - 95 Wanders away
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0109675

	Value
Label	GR1075 G1 - 96 Wants a lot of attention
1	Not at all applicable(as far as you know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0109775

	Value
Label	GR1075 G1 - 97 Whining
1	Not at all applicable(as far asyou know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0109875

	Value
Label	GR1075 G1 - 98 Withdrawn, doesn't get involved with others
1	Not at all applicable(as far asyou know)
2	A bit or sometimes applicable
3	Clearly or often applicable

G0109975

	Value
Label	GR1075 G1 - 99 Worries
1	Not at all applicable(as far asyou know)
2	A bit or sometimes applicable
3	Clearly or often applicable

cbcl1_5

	Value
Label	<none>

cbcl2_5

	Value
Label	<none>

cbcl3_5

	Value
Label	<none>

cbcl4_5

	Value
Label	<none>

cbcl5_5

	Value
Label	<none>

cbcl6_5

	Value
Label	<none>



cbcl7_5

	Value
Label	<none>

cbcl8_5

	Value
Label	<none>

cbcl9_5

	Value
Label	<none>

cbcl10_5

	Value
Label	<none>

cbcl11_5

	Value
Label	<none>

cbcl12_5

	Value
Label	<none>

cbcl13_5

	Value
Label	<none>

cbcl14_5

	Value
Label	<none>

cbcl15_5

	Value
Label	<none>

cbcl16_5

	Value
Label	<none>

cbcl17_5

	Value
Label	<none>

cbcl18_5

	Value
Label	<none>

cbcl19_5

	Value
Label	<none>

cbcl20_5

	Value
Label	<none>

cbcl21_5

	Value
Label	<none>

cbcl22_5

	Value
Label	<none>

cbcl23_5

	Value
Label	<none>

cbcl24_5

	Value
Label	<none>

cbcl25_5

	Value
Label	<none>

cbcl26_5

	Value
Label	<none>

cbcl27_5

	Value
Label	<none>

cbcl28_5

	Value
Label	<none>

cbcl29_5

	Value
Label	<none>

cbcl30_5

	Value
Label	<none>



cbcl31_5

	Value
Label	<none>

cbcl32_5

	Value
Label	<none>

cbcl33_5

	Value
Label	<none>

cbcl34_5

	Value
Label	<none>

cbcl35_5

	Value
Label	<none>

cbcl36_5

	Value
Label	<none>

cbcl37_5

	Value
Label	<none>

cbcl38_5

	Value
Label	<none>

cbcl39_5

	Value
Label	<none>

cbcl40_5

	Value
Label	<none>

cbcl41_5

	Value
Label	<none>

cbcl42_5

	Value
Label	<none>

cbcl43_5

	Value
Label	<none>

cbcl44_5

	Value
Label	<none>

cbcl45_5

	Value
Label	<none>

cbcl46_5

	Value
Label	<none>

cbcl47_5

	Value
Label	<none>

cbcl48_5

	Value
Label	<none>

cbcl49_5

	Value
Label	<none>

cbcl50_5

	Value
Label	<none>

cbcl51_5

	Value
Label	<none>

cbcl52_5

	Value
Label	<none>

cbcl53_5

	Value
Label	<none>

cbcl54_5

	Value
Label	<none>



cbcl55_5

	Value
Label	<none>

cbcl56_5

	Value
Label	<none>

cbcl57_5

	Value
Label	<none>

cbcl58_5

	Value
Label	<none>

cbcl59_5

	Value
Label	<none>

cbcl60_5

	Value
Label	<none>

cbcl61_5

	Value
Label	<none>

cbcl62_5

	Value
Label	<none>

cbcl63_5

	Value
Label	<none>

cbcl64_5

	Value
Label	<none>

cbcl65_5

	Value
Label	<none>

cbcl66_5

	Value
Label	<none>

cbcl67_5

	Value
Label	<none>

cbcl68_5

	Value
Label	<none>

cbcl69_5

	Value
Label	<none>

cbcl70_5

	Value
Label	<none>

cbcl71_5

	Value
Label	<none>

cbcl72_5

	Value
Label	<none>

cbcl73_5

	Value
Label	<none>

cbcl74_5

	Value
Label	<none>

cbcl75_5

	Value
Label	<none>

cbcl76_5

	Value
Label	<none>

cbcl77_5

	Value
Label	<none>

cbcl78_5

	Value
Label	<none>



cbcl79_5

	Value
Label	<none>

cbcl80_5

	Value
Label	<none>

cbcl81_5

	Value
Label	<none>

cbcl82_5

	Value
Label	<none>

cbcl83_5

	Value
Label	<none>

cbcl84_5

	Value
Label	<none>

cbcl85_5

	Value
Label	<none>

cbcl86_5

	Value
Label	<none>

cbcl87_5

	Value
Label	<none>

cbcl88_5

	Value
Label	<none>

cbcl89_5

	Value
Label	<none>

bccl90_5

	Value
Label	<none>

cbcl91_5

	Value
Label	<none>

cbcl92_5

	Value
Label	<none>

cbcl93_5

	Value
Label	<none>

cbcl94_5

	Value
Label	<none>

cbcl95_5

	Value
Label	<none>

cbcl96_5

	Value
Label	<none>

cbcl97_5

	Value
Label	<none>

cbcl98_5

	Value
Label	<none>

cbcl99_5

	Value
Label	<none>

Nmisemo_5

	Value
Label	number of missings emotionally reactive_5 yrs report

Nmisanx_5

	Value
Label	number of missings anxious/depressed_5 yrs report

Nmissom_5

	Value
Label	number of missings somatic complaints_5 yrs report

**Nmiswid_5**

	Value
Label	number of missings withdrawn_5 yrs report

Nmissle_5

	Value
Label	number of missings sleep problems_5 yrs report

Nmisatt_5

	Value
Label	number of missings attention problems_5 yrs report

Nmisagg_5

	Value
Label	number of missings aggressive behavior_5 yrs report

Nmisoth_5

	Value
Label	number of missings other problems_5 yrs report

NmisDaff_5

	Value
Label	number of missings DSM affective problems_5 yrs report

NmisDanx_5

	Value
Label	number of missings DSM anxiety problems_5 yrs report

NmisDpdd_5

	Value
Label	number of missings DSM pervasive developmental problems_5 yrs report

NmisDadh_5

	Value
Label	number of missings DSM attention deficit/ hyperactivity problems_5 yrs report

NmisDodd_5

	Value
Label	number of missings DSM oppositional defiant problems_5 yrs report

Nmisint_5

	Value
Label	number of missings internalizing scale_5 yrs report

Nmisext_5

	Value
Label	number of missings externalizing scale_5 yrs report

Nmistot_5

	Value
Label	number of missings from the cbcl_5 yrs report

sum_emo_5

	Value
Label	weighted sumscore emotionally-reactive_5 yrs report

sum_anx_5

	Value
Label	weighted sumscore anxious-depressed_5 yrs report

sum_som_5

	Value
Label	weighted sumscore somatic complaints_5 yrs report

sum_wid_5

	Value
Label	weighted sumscore withdrawn_5 yrs report

sum_sle_5

	Value
Label	weighted sumscore sleep problems_5 yrs report

sum_att_5

	Value
Label	weighted sumscore attention problems_5 yrs report

sum_agg_5

	Value
Label	weighted sumscore aggressive behaviour_5 yrs report

sum_oth_5

	Value
Label	weighted sumscore other_5 yrs report

sumD_aff_5

	Value
Label	weighted sumscore DSM affective problems_5 yrs report

sumD_anx_5

	Value
Label	weighted sumscore DSM anxiety problems_5 yrs report

sumD_pdd_5

	Value
Label	weighted sumscore DSM pervasive developmental problems_5 yrs report

**sumD_adh_5**

	Value
Label	weighted sumscore DSM attention deficit/ hyperactivity problems_5 yrs report

sumD_odd_5

	Value
Label	weighted sumscore DSM oppositional defiant problems_5 yrs report

sum_int_5

	Value
Label	weighted sumscore internalizing scale_5 yrs report

sum_ext_5

	Value
Label	weighted sumscore externalizing scale_5 yrs report

cbcl_sum_5

	Value
Label	weighted sumscore total problems_5 yrs report

H0100175

	Value
Label	GR1075 H1 visited doctor or ER past year for - a A fall in or around the house
1	Never
2	Once
3	2 or 3 times
4	4 or more times

H0100275

	Value
Label	GR1075 H1 visited doctor or ER past year for - b Injury from fire or hot liquids
1	Never
2	Once
3	2 or 3 times
4	4 or more times

H0100375

	Value
Label	GR1075 H1 visited doctor or ER past year for - c (Near) poisoning by ingesting non-edible products (for example, cleaning materials) or medicines
1	Never
2	Once
3	2 or 3 times
4	4 or more times

H0100475

	Value
Label	GR1075 H1 visited doctor or ER past year for - d Swallowing of foreign (non-edible) objects
1	Never
2	Once
3	2 or 3 times
4	4 or more times

H0100575

	Value
Label	GR1075 H1 visited doctor or ER past year for - e Other accidents in or around the house
1	Never
2	Once
3	2 or 3 times
4	4 or more times

H0100675

	Value
Label	GR1075 H1 visited doctor or ER past year for - f Car accident (in the car)
1	Never
2	Once
3	2 or 3 times
4	4 or more times

**H0100775**

	Value
Label	GR1075 H1 visited doctor or ER past year for - g Bicycle accident (on the bicycle)
1	Never
2	Once
3	2 or 3 times
4	4 or more times

H0100875

	Value
Label	GR1075 H1 visited doctor or ER past year for - h Pedestrian accident (waking)
1	Never
2	Once
3	2 or 3 times
4	4 or more times

H0100975

	Value
Label	GR1075 H1 visited doctor or ER past year for - i Accident at school or in after-school care
1	Never
2	Once
3	2 or 3 times
4	4 or more times

H0101075

	Value
Label	GR1075 H1 visited doctor or ER past year for - j Other
1	Never
2	Once
3	2 or 3 times
4	4 or more times

I0100175

	Value
Label	GR1075 I1 Family doctor (including house calls) (I0100175)
0	No
1	Yes

I0100275

	Value
Label	use divided variables GR1075 I1 Family doctor - Reason(s) for visit

I01002_1

	Value
Label	GR1075 Family doctor reason(s) for visit - Fever
1	Box crossed

I01002_2

	Value
Label	GR1075 Family doctor reason(s) for visit - Infectious diseases
1	Box crossed

I01002_3

	Value
Label	GR1075 Family doctor reason(s) for visit - Shortness of breath
1	Box crossed

I01002_4

	Value
Label	GR1075 Family doctor reason(s) for visit - Convulsion
1	Box crossed

I01002_5

	Value
Label	GR1075 Family doctor reason(s) for visit - Stomach ache
1	Box crossed

I01002_6

	Value
Label	GR1075 Family doctor reason(s) for visit - Accident
1	Box crossed

I01002_7

	Value
Label	GR1075 Family doctor reason(s) for visit - Other
1	Box crossed

**I0100375**

	Value
Label	GR1075 I1 Family doctor - Number of visits (I0100375)
1	Once
2	2 times
3	3 times
4	4times
5	5 or more times

I0200175

	Value
Label	GR1075 I2 GP Clinic (I0200175)
0	No
1	Yes

I0200275

	Value
Label	use divided variables GR1075 I2 GP Clinic (evenings or week-ends) - Reason(s) for visit

I02002_1

	Value
Label	GR1075 GP Clinic (evenings or week-ends) reason(s) for visit - Fever
1	Box crossed

I02002_2

	Value
Label	GR1075 GP Clinic (evenings or week-ends) reason(s) for visit - Infectious diseases
1	Box crossed

I02002_3

	Value
Label	GR1075 GP Clinic (evenings or week-ends) reason(s) for visit - Shortness of breath
1	Box crossed

I02002_4

	Value
Label	GR1075 GP Clinic (evenings or week-ends) reason(s) for visit - Convulsion
1	Box crossed

I02002_5

	Value
Label	GR1075 GP Clinic (evenings or week-ends) reason(s) for visit - Stomach ache
1	Box crossed

I02002_6

	Value
Label	GR1075 GP Clinic (evenings or week-ends) reason(s) for visit - Accident
1	Box crossed

I02002_7

	Value
Label	GR1075 GP Clinic (evenings or week-ends) reason(s) for visit - Other
1	Box crossed

I0200375

	Value
Label	GR1075 I2 GP Clinic (evenings or week-ends) - Number of visits (I0200375)
1	Once
2	2 times
3	3 times
4	4times
5	5 or more times

I0200475

	Value
Label	use divided variables GR1075 I2 GP Clinic (evenings or week-ends) - Name of hospital

I02004_1

	Value
Label	GR1075 GP Clinic (evenings or week-ends) Name of hospital - GP clinic Ruwaard
1	Box crossed

I02004_2

	Value
Label	GR1075 GP Clinic (evenings or week-ends) Name of hospital - GP clinic Sint-Franciscus Gasthuis
1	Box crossed

**I02004_3**

	Value
Label	GR1075 GP Clinic (evenings or week-ends) Name of hospital - GP clinic Sophiahof
1	Box crossed

I02004_4

	Value
Label	GR1075 GP Clinic (evenings or week-ends) Name of hospital - GP clinic IJsselland
1	Box crossed

I02004_5

	Value
Label	GR1075 GP Clinic (evenings or week-ends) Name of hospital - GP clinic Zuid
1	Box crossed

I0300175

	Value
Label	GR1075 I3 Pediatrician (I0300175)
0	No
1	Yes

I0300275

	Value
Label	use divided variables GR1075 I3 Pediatrician - Reason(s) for visit (I0300275)

I03002_1

	Value
Label	GR1075 Pediatrician reason(s) for visit - Fever
1	Box crossed

I03002_2

	Value
Label	GR1075 Pediatrician reason(s) for visit - Infectious diseases
1	Box crossed

I03002_3

	Value
Label	GR1075 Pediatrician reason(s) for visit - Shortness of breath
1	Box crossed

I03002_4

	Value
Label	GR1075 Pediatrician reason(s) for visit - Convulsion
1	Box crossed

I03002_5

	Value
Label	GR1075 Pediatrician reason(s) for visit - Stomach ache
1	Box crossed

I03002_6

	Value
Label	GR1075 Pediatrician reason(s) for visit - Accident
1	Box crossed

I03002_7

	Value
Label	GR1075 Pediatrician reason(s) for visit - Other
1	Box crossed

I0300375

	Value
Label	GR1075 I3 Pediatrician - Number of visits (I0300375)
1	Once
2	2 times
3	3 times
4	4times
5	5 or more times

I0300475

	Value
Label	use divided variables GR1075 I3 Pediatrician - Name of hospital (I0300475)

I03004_1

	Value
Label	GR1075 Pediatrician name of hospital - ErasmusMC Sophia
1	Box crossed

I03004_2

	Value
Label	GR1075 Pediatrician name of hospital - Havenziekenhuis
1	Box crossed

**I03004_3**

	Value
Label	GR1075 Pediatrician name of hospital - Ikazia
1	Box crossed

I03004_4

	Value
Label	GR1075 Pediatrician name of hospital - MCRZ
1	Box crossed

I03004_5

	Value
Label	GR1075 Pediatrician name of hospital - Sint Franciscus Gasthuis
1	Box crossed

I03004_6

	Value
Label	GR1075 Pediatrician name of hospital - IJsselland
1	Box crossed

I0400175

	Value
Label	GR1075 I4 ENT specialist (I0400175)
0	No
1	Yes

I0400275

	Value
Label	use divided variables GR1075 I4 ENT specialist - Reason(s) for visit

I04002_1

	Value
Label	GR1075 GP Clinic ENT specialist reason(s) for visit - Removal of adenoids
1	Box crossed

I04002_2

	Value
Label	GR1075 GP Clinic ENT specialist reason(s) for visit - Removal of tonsils
1	Box crossed

I04002_3

	Value
Label	GR1075 GP Clinic ENT specialist reason(s) for visit - Placing grommets in ears
1	Box crossed

I04002_4

	Value
Label	GR1075 GP Clinic ENT specialist reason(s) for visit - Other
1	Box crossed

I0400375

	Value
Label	GR1075 I4 ENT specialist - Number of visits (I0400375)
1	Once
2	2 times
3	3 times
4	4times
5	5 or more times

I0400475

	Value
Label	use divided variables GR1075 I4 ENT specialist - Name of hospital

I04004_1

	Value
Label	GR1075 ENT specialist name of hospital - ErasmusMC Sophia
1	Box crossed

I04004_2

	Value
Label	GR1075 ENT specialist name of hospital - Havenziekenhuis
1	Box crossed

I04004_3

	Value
Label	GR1075 ENT specialist name of hospital - Ikazia
1	Box crossed

I04004_4

	Value
Label	GR1075 ENT specialist name of hospital - MCRZ
1	Box crossed

I04004_5

	Value
Label	GR1075 ENT specialist name of hospital - Sint Franciscus Gasthuis
1	Box crossed

**I04004_6**

	Value
Label	GR1075 ENT specialist name of hospital - IJsselland
1	Box crossed

I0500175

	Value
Label	GR1075 I5 Emergency Room physician (I0500175)
0	No
1	Yes

I0500275

	Value
Label	use divided variables GR1075 I5 Emergency Room physician - Reason(s) for visit

I05002_1

	Value
Label	Emergency Room physician Reason(s) for visit - Fever
1	Box crossed

I05002_2

	Value
Label	Emergency Room physician Reason(s) for visit - Infectious diseases
1	Box crossed

I05002_3

	Value
Label	Emergency Room physician Reason(s) for visit - Shortness of breath
1	Box crossed

I05002_4

	Value
Label	Emergency Room physician Reason(s) for visit - Convulsion
1	Box crossed

I05002_5

	Value
Label	Emergency Room physician Reason(s) for visit - Stomach ache
1	Box crossed

I05002_6

	Value
Label	Emergency Room physician Reason(s) for visit - Accident
1	Box crossed

I05002_7

	Value
Label	Emergency Room physician Reason(s) for visit - Other
1	Box crossed

I0500375

	Value
Label	GR1075 I5 Emergency Room physician - Number of visits (I0500375)
1	Once
2	2 times
3	3 times
4	4times
5	5 or more times

I0500475

	Value
Label	use divided variables GR1075 I5 Emergency Room physician - Name of hospital

I05004_1

	Value
Label	GR1075 Emergency Room physician name of hospital - ErasmusMC Sophia
1	Box crossed

I05004_2

	Value
Label	GR1075 Emergency Room physician name of hospital - Havenziekenhuis
1	Box crossed

I05004_3

	Value
Label	GR1075 Emergency Room physician name of hospital - Ikazia
1	Box crossed

I05004_4

	Value
Label	GR1075 Emergency Room physician name of hospital - MCRZ
1	Box crossed

I05004_5

	Value
Label	GR1075 Emergency Room physician name of hospital - Sint Franciscus Gasthuis
1	Box crossed

**I05004_6**

	Value
Label	GR1075 Emergency Room physician name of hospital - IJsselland
1	Box crossed

4b. The development of my 5/6 year old child – part 2 (GR1076)**responsGR1076**

	Value
Label	Response GR1076 (5 years part 2)
0	Sent
1	Received
9	Never sent

agechildGR1076

	Value
Label	Age child GR1076 (5 years part 2)

languageGR1076

	Value
Label	Language GR1076 (5 years part 2)
1	Dutch
2	English
4	Turkish

X0100176

	Value
Label	use divided variables GR1075 A1 This questionnaire is being filled in by (X0100176)

X0100176_1

	Value
Label	GR1076 filled by - Biological mother (X0100176_1)
1	Box crossed

X0100176_2

	Value
Label	GR1076 filled by - Non-biological mother (X0100176_2)
1	Box crossed

X0100176_3

	Value
Label	GR1076 filled by - Biological father (X0100176_3)
1	Box crossed

X0100176_4

	Value
Label	GR1076 filled by - Non-biological father (X0100176_4)
1	Box crossed

X0100176_5

	Value
Label	GR1076 filled by - Other, namely (X0100176_5)
1	Box crossed

A0100176

	Value
Label	GR1076 A1 1 My child - will try to console or comfort somebody who is unhappy (A0100176)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0100276

	Value
Label	GR1076 A1 2 My child - will clear away toys of his/her own accord, even when he/she is not asked to do so (A0100276)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

**A0100376**

	Value
Label	GR1076 A1 3 My child - will deny that he/she has done something bad even if confronted with the evidence (A0100376)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0100476

	Value
Label	GR1076 A1 4 My child - gets upset when he/she sees an injured animal (A0100476)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0100576

	Value
Label	GR1076 A1 5 My child - will probably look regretful or guilty if he/she is caught in the act of doing something that is forbidden (A0100576)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0100676

	Value
Label	GR1076 A1 6 My child - sometimes has trouble falling asleep or has little appetite after he/she has done something bad (A0100676)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0100776

	Value
Label	GR1076 A1 7 My child - does not cry easily or does not get upset easily after watching a sad programme on TV (A0100776)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0100876

	Value
Label	GR1076 A1 8 My child - cries easily when spoken to about something naughty that he/she has done (A0100876)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

**A0100976**

	Value
Label	GR1076 A1 9 My child - rarely repeats behavior that was previously forbidden, not even in the absence of adults (A0100976)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0101076

	Value
Label	GR1076 A1 10 My child - it is sufficient to tell him/her not do something only once; after this he/she is not likely to repeat this, even when he/she is alone (A0101076)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0101176

	Value
Label	GR1076 A1 11 My child - will confess to having done something bad even if no-one is ever likely to find out (A0101176)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0101276

	Value
Label	GR1076 A1 12 My child - his/her feelings are not easily hurt by criticism (A0101276)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0101376

	Value
Label	GR1076 A1 13 My child - continues to feel bad even after he/she has already been forgiven for his/her lapse or blunder (A0101376)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0101476

	Value
Label	GR1076 A1 14 My child - when his/her parents are not around, he/she may ignore a rule of the house (A0101476)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

**A0101576**

	Value
Label	GR1076 A1 15 My child - it is not easy to make him/her feel bad when he/she has done something naughty (A0101576)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0101676

	Value
Label	GR1076 A1 16 My child - looks pleased when he/she has done a job or an assignment well, even if he/she has not yet been complimented on this by others (A0101676)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0101776

	Value
Label	GR1076 A1 17 My child - gets angry at the bad guy in a television programme who hurts one of the other characters (A0101776)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0101876

	Value
Label	GR1076 A1 18 My child - will spontaneously admit to a mistake or bad behavior, either in words or through his/her actions (A0101876)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0101976

	Value
Label	GR1076 A1 19 My child - tries really hard when carrying out a job (A0101976)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0102076

	Value
Label	GR1076 A1 20 My child - does not get very upset when he/she causes an accident (such as making a mess or breaking something) (A0102076)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

**A0102176**

	Value
Label	GR1076 A1 21 My child - will attract the attention of his/her parents if he/she has caused an accident or damage (e.g. by saying:"I did this" or "Broken") (A0102176)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0102276

	Value
Label	GR1076 A1 22 My child - is moved by stories in which the characters are hurt or die (A0102276)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0102376

	Value
Label	GR1076 A1 23 My child - seems relieved when he/she has admitted that he/she did something wrong (A0102376)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0102476

	Value
Label	GR1076 A1 24 My child - seems to feel obligated to tell his/her parents when he/she has done something wrong (A0102476)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0102576

	Value
Label	GR1076 A1 25 My child - will not always tell his/her parents when he/she breaks something (A0102576)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0102676

	Value
Label	GR1076 A1 26 My child - feels sorry for other people who are in pain or feel sick or unhappy (A0102676)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

**A0102776**

	Value
Label	GR1076 A1 27 My child - will probably blush if he/she is caught in the act of doing something that is not permitted (A0102776)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0102876

	Value
Label	GR1076 A1 28 My child - is not likely to get upset when one of his/her playmates cries (A0102876)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable
8	Never seen in that situation

A0100376R

	Value
Label	will NOT deny that he/she has done something bad even if confronted with the evidence
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable

A0100776R

	Value
Label	DOES cry easily or does not get upset easily after watching a sad programme on TV
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable

A0101276R

	Value
Label	his/her feelings ARE easily hurt by criticism
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable

A0101476R

	Value
Label	when his/her parents are not around, he/she may NOT ignore a rule of the house
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable

**A0101576R**

	Value
Label	it IS easy to make him/her feel bad when he/she has done something naughty
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable

A0102076R

	Value
Label	DOES get very upset when he/she causes an accident (such as making a mess or breaking something)
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable

A0102576R

	Value
Label	WILL always tell his/her parents when he/she breaks something
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable

A0102876R

	Value
Label	IS likely to get upset when one of his/her playmates cries
1	Not applicable at all
2	Hardly applicable at all
3	Somewhat applicable
4	Sometimes applicable, sometimes not
5	Fairly applicable
6	Largely applicable
7	Fully applicable

Guilt

	Value
Label	My Child Guilt

Confession

	Value
Label	My Child Confession

Internalized_conduct

	Value
Label	My Child Internalized Conduct

Empathy

	Value
Label	My Child Empathy

Conscience

	Value
Label	My Child Conscience

ZGuilt

	Value
Label	Zscore: My Child Guilt

ZConfession

	Value
Label	Zscore: My Child Confession

ZInternalized_conduct

	Value
Label	Zscore: My Child Internalized Conduct



ZEmpathy

	Value
Label	Zscore: My Child Empathy

ZConscience

	Value
Label	Zscore: My Child Conscience

A0200176

	Value
Label	GR1076 A2-1 (A0200176)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0200276

	Value
Label	GR1076 A2-2 (A0200276)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0200376

	Value
Label	GR1076 A2-3 (A0200376)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0200476

	Value
Label	GR1076 A2-4 (A0200476)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0200576

	Value
Label	GR1076 A2-5 (A0200576)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0200676

	Value
Label	GR1076 A2-6 (A0200676)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0200776

	Value
Label	GR1076 A2-7 (A0200776)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0200876

	Value
Label	GR1076 A2-8 (A0200876)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0200976

	Value
Label	GR1076 A2-9 (A0200976)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

**A0201076**

	Value
Label	GR1076 A2-10 (A0201076)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0201176

	Value
Label	GR1076 A2-11 (A0201176)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0201276

	Value
Label	GR1076 A2-12 (A0201276)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0201376

	Value
Label	GR1076 A2-13 (A0201376)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0201476

	Value
Label	GR1076 A2-14 (A0201476)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0201576

	Value
Label	GR1076 A2-15 (A0201576)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0201676

	Value
Label	GR1076 A2-16 (A0201676)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0201776

	Value
Label	GR1076 A2-17 (A0201776)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0201876

	Value
Label	GR1076 A2-18 (A0201876)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0201976

	Value
Label	GR1076 A2-19 (A0201976)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

**A0202076**

	Value
Label	GR1076 A2-20 (A0202076)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0202176

	Value
Label	GR1076 A2-21 (A0202176)
1	Not true
2	Sometimes true
3	Often true
4	Almost always true

A0300176

	Value
Label	GR1076 A3 Does he/she display a striking skill, compared to his/her general ability level? (A0300176)
0	No
1	Yes

A0300276

	Value
Label	GR1076 A3 If yes, in which areas does he/she display a skill ? (more than one answer possible) (A0300276)

A0300276_1

	Value
Label	GR1076 A3 If yes, in which areas does he/she display a skill: Maths and calculation (A0300276_1)
1	Box crossed

A0300276_2

	Value
Label	GR1076 A3 If yes, in which areas does he/she display a skill: Musical ability (A0300276_2)
1	Box crossed

A0300276_3

	Value
Label	GR1076 A3 If yes, in which areas does he/she display a skill: Art/drawing (A0300276_3)
1	Box crossed

A0300276_4

	Value
Label	GR1076 A3 If yes, in which areas does he/she display a skill: Memory (A0300276_4)
1	Box crossed

A0400176

	Value
Label	GR1076 A4 Does he/she display a striking skill, when compared to other children his/her age? (A0400176)
0	No
1	Yes

A0400276

	Value
Label	GR1076 A4 If yes, in which areas does he/she display a skill ? (more than one answer possible) (A0400276)

A0400276_1

	Value
Label	GR1076 A4 If yes, in which areas does he/she display a skill: Maths and calculation (A0400276_1)
1	Box crossed

A0400276_2

	Value
Label	GR1076 A4 If yes, in which areas does he/she display a skill: Musical ability (A0400276_2)
1	Box crossed

A0400276_3

	Value
Label	GR1076 A4 If yes, in which areas does he/she display a skill: Art/drawing (A0400276_3)
1	Box crossed

**A0400276_4**

	Value
Label	GR1076 A4 If yes, in which areas does he/she display a skill: Memory (A0400276_4)
1	Box crossed

A0500176

	Value
Label	GR1076 A5 Does he/she display a striking skill, when compared to children even much older? (A0500176)
0	No
1	Yes

A0500276

	Value
Label	GR1076 A5 If yes, in which areas does he/she display a skill ? (more than one answer possible) (A0500276)

A0500276_1

	Value
Label	GR1076 A5 If yes, in which areas does he/she display a skill: Maths and calculation (A0500276_1)
1	Box crossed

A0500276_2

	Value
Label	GR1076 A5 If yes, in which areas does he/she display a skill: Musical ability (A0500276_2)
1	Box crossed

A0500276_3

	Value
Label	GR1076 A5 If yes, in which areas does he/she display a skill: Art/drawing (A0500276_3)
1	Box crossed

A0500276_4

	Value
Label	GR1076 A5 If yes, in which areas does he/she display a skill: Memory (A0500276_4)
1	Box crossed

B0100176

	Value
Label	GR1076 B1 Has your child ever had an itchy rash that was present on and off for at least 6 months (B0100176)
0	No
1	Yes

B0200176

	Value
Label	GR1076 B2 Did your child have an itchy rash during the past 12 months (B0200176)
0	No
1	Yes

B0300176

	Value
Label	use divided variables GR1076 B3 Was this itchy rash ever present in one of the following places (B0300176)

B03_761

	Value
Label	GR1076 B3 Itchy rasch - The inside of the elbows (B03_761)
1	Box crossed

B03_762

	Value
Label	GR1076 B3 Itchy rasch - The back of the knees (B03_762)
1	Box crossed

B03_763

	Value
Label	GR1076 B3 Itchy rasch - The front of the ankles (B03_763)
1	Box crossed

B03_764

	Value
Label	GR1076 B3 Itchy rasch - Underneath the buttocks (B03_764)
1	Box crossed

B03_765

	Value
Label	GR1076 B3 Itchy rasch - In the neck (B03_765)
1	Box crossed

**B03_766**

	Value
Label	GR1076 B3 Itchy rasch - Around the eyes or ears (B03_766)
1	Box crossed

B0400176

	Value
Label	GR1076 B4 How old was your child when this itchy rash was first seen (B0400176)
1	Less than 2 years old
2	2 to 4 years old
3	5 years or older

B0500176

	Value
Label	GR1076 B5 Was this rash ever completely absent during the past 12 months (B0500176)
0	No
1	Yes

B0600176

	Value
Label	GR1076 B6 How often in the past 12 months did your child wake up during the night because of this itchy rash (B0600176)
1	Never
2	Usually less than one night a week
3	Usually one or more nights a week

B0700176

	Value
Label	GR1076 B7 Has your child ever had eczema (B0700176)
0	No
1	Yes

B0800176

	Value
Label	GR1076 B8 How often in the past year was your child seen by a doctor because of these complaints (B0800176)
1	Never
2	Once or twice
3	3 times or more

C0100176

	Value
Label	GR1076 C1 How often in the past 3 months did your child usually have a bowel movement? (C0100176)
1	More than 3 times a day
2	2 to 3 times a day
3	1 times a day
4	3 to 6 times a week
5	2 times a week or less

C0200176

	Value
Label	GR1076 C2 past year for at least 2 weeks in a row: - a Have a bowel movement twice a week or less? (C0200176)
0	No
1	Yes

C0200276

	Value
Label	GR1076 C2 past year for at least 2 weeks in a row: - b Have mainly hard faeces? (C0200276)
0	No
1	Yes

C0200376

	Value
Label	GR1076 C2 past year for at least 2 weeks in a row: - c Suffer from constipation, diagnosed by a doctor? (C0200376)
0	No
1	Yes

C0200476

	Value
Label	GR1076 C2 past year for at least 2 weeks in a row: - d Defecate in his/her underpants? (C0200476)
0	No
1	Yes

**C0200576**

	Value
Label	GR1076 C2 past year for at least 2 weeks in a row: - If yes, how often? (C0200576)
1	Every day
2	Several times a week
3	Less than once a week

C0300176

	Value
Label	GR1076 C3 How did your child's faeces usually look over the past 3 months? (C0300176)
1	Very hard
2	Hard
3	Flexible, with a specific shape
4	Very soft, slushy
5	Watery
6	Sometimes hard, sometimes soft
7	Don't know

C0400176

	Value
Label	GR1076 C4 Did your child have abdominal pain during the past 3 months? (C0400176)
1	No
2	Yes 1 to 3 times a month
3	Yes, once a week
4	Yes, several times a week
5	Yes, every day

C0500176

	Value
Label	GR1076 C5 How many times a day did your child usually have abdominal pain in the past 3 months? (C0500176)
1	Not at all
2	Once or twice a day
3	3 to 6 times a day
4	All day long (continuously)

C0600176

	Value
Label	GR1076 C6 How long did this abdominal pain last if your child had abdominal pain in the past 3 months? (C0600176)
1	Less than 1 hour
2	1 to 2 hours
3	3 to 4 hours
4	Most of the day
5	All the time

C0700176

	Value
Label	GR1076 C7 How often during the past 3 months did your child suffer intense pain that lasted for more than 2 hours and that was so intense that your child had to stop all its activities and was unable to do anything at all? (C0700176)
1	Never
2	Once or twice
3	3 to 5 times
4	More than 6 times

C0800176

	Value
Label	GR1076 C8 statements - a Does your child feel sick/nauseous while he/she is eating, or after having eaten? (C0800176)
1	Never
2	Occasionally
3	Sometimes
4	Usually
5	Always
6	Do not know

**C0800276**

	Value
Label	GR1076 C8 statements - b Does your child's belly-ache get less after he/she has had a bowel movement? (C0800276)
1	Never
2	Occasionally
3	Sometimes
4	Usually
5	Always
6	Do not know

C0800376

	Value
Label	GR1076 C8 statements - c When your child has a belly-ache, is he/she no longer able to play? (C0800376)
1	Never
2	Occasionally
3	Sometimes
4	Usually
5	Always
6	Do not know

C0800476

	Value
Label	GR1076 C8 statements - d When your child has a belly-ache, is he/she unable to go to school? (C0800476)
1	Never
2	Occasionally
3	Sometimes
4	Usually
5	Always
6	Do not know

C0800576

	Value
Label	GR1076 C8 statements - e Does you child wake up from the pain in his/her abdomen? (C0800576)
1	Never
2	Occasionally
3	Sometimes
4	Usually
5	Always
6	Do not know

C0800676

	Value
Label	GR1076 C8 statements - f Is your child unable to get to sleep because of abdominal pain? (C0800676)
1	Never
2	Occasionally
3	Sometimes
4	Usually
5	Always
6	Do not know

C0900176

	Value
Label	GR1076 C9 seen by a doctor - a Constipation (C0900176)
0	No
1	Yes

C0900276

	Value
Label	GR1076 C9 seen by a doctor - b Abdominal pain (C0900276)
0	No
1	Yes

C0900376

	Value
Label	GR1076 C9 seen by a doctor - c Coeliac disease (C0900376)
0	No
1	Yes

**C0900476**

	Value
Label	GR1076 C9 how often seen by a doctor - a Constipation (C0900476)
1	1-2 times
2	3-4 times
3	5 times or more

C0900576

	Value
Label	GR1076 C9 how often seen by a doctor - b Abdominal pain (C0900576)
1	1-2 times
2	3-4 times
3	5 times or more

C1000176

	Value
Label	GR1076 C10 During the past year, did your child use laxatives prescribed by a doctor? (C1000176)
0	No
1	Yes

C1100176

	Value
Label	GR1076 C11 diet - a Gluten-free or low-gluten (C1100176)
0	No
1	Yes

C1100276

	Value
Label	GR1076 C11 diet - b Free of cow's milk proteins (C1100276)
0	No
1	Yes

C1100376

	Value
Label	GR1076 C11 diet - c Lactose-free or low-lactose (C1100376)
0	No
1	Yes

C1200176

		Value
Label		GR1076 C12 gastro-intestinal complaints in your family - Was anybody in your family diagnosed with Coeliac disease by a doctor (C1200176)
0		No
1		Yes

C1200276

		Value
Label		GR1076 C12 gastro-intestinal complaints in your family - Was anybody in your family diagnosed with constipation by a doctor? (C1200276)
0		No
1		Yes

C1200376

		Value
Label		GR1076 C12 gastro-intestinal complaints in your family - Was anybody in your family diagnosed with spastic colon or irritable bowel syndrome by a doctor? (C1200376)
0		No
1		Yes

D0100176

		Value
Label		GR1076 D1 Was your child ever bothered by sneezing, a runny nose or a blocked nose even though he/she did not have a cold or flu
0		No
1		Yes

D0200176

		Value
Label		GR1076 D2 During the past 12 months, was your child ever bothered by sneezing, a runny nose or a blocked nose even though he/she did not have a cold or flu
0		No
1		Yes

**D0300176**

	Value
Label	GR1076 D3 During the past 12 months, were these complaints accompanied by teary, itchy eyes
0	No
1	Yes

D04_761

	Value
Label	GR1076 D4 Nasal problems - January
1	Box crossed

D04_762

	Value
Label	GR1076 D4 Nasal problems - February
1	Box crossed

D04_763

	Value
Label	GR1076 D4 Nasal problems - March
1	Box crossed

D04_764

	Value
Label	GR1076 D4 Nasal problems - April
1	Box crossed

D04_765

	Value
Label	GR1076 D4 Nasal problems - May
1	Box crossed

D04_766

	Value
Label	GR1076 D4 Nasal problems - June
1	Box crossed

D04_767

	Value
Label	GR1076 D4 Nasal problems - July
1	Box crossed

D04_768

	Value
Label	GR1076 D4 Nasal problems - August
1	Box crossed

D04_769

	Value
Label	GR1076 D4 Nasal problems - September
1	Box crossed

D04_7610

	Value
Label	GR1076 D4 Nasal problems - October
1	Box crossed

D04_7611

	Value
Label	GR1076 D4 Nasal problems - November
1	Box crossed

D04_7612

	Value
Label	GR1076 D4 Nasal problems - December
1	Box crossed

D0500176

	Value
Label	GR1076 D5 During the past 12 months, was your child restricted in his/her daily activities due to these nasal problems
1	No, not restricted at all
2	Yes, somewhat restricted
3	Yes, restricted
4	Yes, very much restricted

D0600176

	Value
Label	GR1076 D6 Did your child ever have hay fever
0	No
1	Yes

**D0700176**

	Value
Label	GR1076 D7 How often during the past year was your child seen by a doctor because of these complaints
1	Never
2	Once or twice
3	3 times or more

D0800176

	Value
Label	GR1076 D8 Did your child ever suffer from chest wheezing? (D0800176)
0	No
1	Yes

D0900176

	Value
Label	GR1076 D9 During the past 12 months, did your child ever suffer from chest wheezing (D0900176)
0	No
1	Yes

D1000176

	Value
Label	GR1076 D10 How many attacks of chest wheezing did your child have in the past 12 months (D1000176)
1	None
2	1 to 3
3	4 to 12
4	More than 12

D1100176

	Value
Label	GR1076 D11 How often on average during the past 12 months was your child's sleep disrupted because of chest wheezing (D1100176)
1	Never
2	Usually less than one night a week
3	Usually one or more nights a week

D1200176

	Value
Label	GR1076 D12 During the past 12 months, was the wheezing ever so bad that your child was only able to utter 1 or 2 consecutive words between breathing (D1200176)
0	No
1	Yes

D1300176

	Value
Label	GR1076 D13 Did your child ever suffer from asthma (D1300176)
0	No
1	Yes

D1400176

	Value
Label	GR1076 D14 Was your child ever diagnosed with asthma by a doctor (D1400176)
0	No
1	Yes

D1500176

	Value
Label	GR1076 D15 During the past 12 months, did your child ever have chest wheezing during or after exertion (D1500176)
0	No
1	Yes

D1600176

	Value
Label	GR1076 D16 During the past 12 months, did your child ever have dry coughing spells without having a cold or chest infection (D1600176)
0	No
1	Yes

D1700176

	Value
Label	GR1076 D17 How often during the past 12 months did your child have a fever together with coughing (D1700176)
1	Never
2	Once or twice
3	3 times or more

**D1800176**

	Value
Label	GR1076 D18 How often during the past year was your child seen by a doctor because of problems with coughing or wheezing (D1800176)
1	Never
2	Once or twice
3	3 times or more

E0100176

	Value
Label	GR1076 E1 damp stains and/or mildew - a In the bathroom (E0100176)
0	No
1	Yes

E0100276

	Value
Label	GR1076 E1 damp stains and/or mildew - b In the living room (E0100276)
0	No
1	Yes

E0100376

	Value
Label	GR1076 E1 damp stains and/or mildew - c In the kitchen (E0100376)
0	No
1	Yes

E0100476

	Value
Label	GR1076 E1 damp stains and/or mildew - d In the master bedroom (E0100476)
0	No
1	Yes

E0100576

	Value
Label	GR1076 E1 damp stains and/or mildew - e In your child's bedroom (E0100576)
0	No
1	Yes

E0200176

	Value
Label	GR1076 E2 During the past 12 months, did you ever notice any vermin such as sow bugs or cockroaches in your home? (E0200176)
0	No
1	Yes

E0300176

	Value
Label	GR1076 E3 Does anybody ever smoke in your home?
1	No, seldom or never
2	Yes, but less than once a week
3	Yes, more than once week

E0400176

	Value
Label	GR1076 E4 Does the child's mother smoke at home?
0	No
1	Yes

E0500176

	Value
Label	GR1076 E5 Does the child's father smoke at home?
0	No
1	Yes

E0600176

	Value
Label	GR1076 E6 Since the birth of your child, did you add a pet to your household, or did a pet leave? (E0600176)
1	A pet left
2	A pet was added
3	No change: no pet left and no pet added

E0700176

	Value
Label	GR1076 E7 Did you get rid of any pets because of an allergy of one of your family members? (E0700176)
0	No
1	Yes

**E0800176**

	Value
Label	GR1076 E8 Do you have a cat in the house? (E0800176)
0	No
1	Yes

E0900176

	Value
Label	GR1076 E9 Do you have a dog in the house? (E0900176)
0	No
1	Yes

E1000176

	Value
Label	GR1076 E10 Do you have a bird in the house? (E1000176)
0	No
1	Yes

E1100176

	Value
Label	GR1076 E11 disturbed or bothered by noise - a Road traffic (E1100176)
11	nvt

E1100276

	Value
Label	GR1076 E11 disturbed or bothered by noise - b Air traffic (E1100276)
11	nvt

E1100376

	Value
Label	GR1076 E11 disturbed or bothered by noise - c Trains (E1100376)
11	nvt

E1100476

	Value
Label	GR1076 E11 disturbed or bothered by noise - d Businesses/industries (E1100476)
11	nvt

E1100576

	Value
Label	GR1076 E11 disturbed or bothered by noise - e Construction and demolition work (E1100576)
11	nvt

E1100676

	Value
Label	GR1076 E11 disturbed or bothered by noise - f Neighbors/Cafes, hotels, restaurants (E1100676)
11	nvt

E1200176

	Value
Label	GR1076 E12 sleep disrupted by noise - a Road traffic (E1200176)
11	nvt

E1200276

	Value
Label	GR1076 E12 sleep disrupted by noise - b Air traffic (E1200276)
11	nvt

E1200376

	Value
Label	GR1076 E12 sleep disrupted by noise - c Trains (E1200376)
11	nvt

E1200476

	Value
Label	GR1076 E12 sleep disrupted by noise - d Businesses/industries (E1200476)
11	nvt

E1200576

	Value
Label	GR1076 E12 sleep disrupted by noise - e Construction and demolition work (E1200576)
11	nvt

E1200676

	Value
Label	GR1076 E12 sleep disrupted by noise - f Neighbors/Cafes, hotels, restaurants (E1200676)
11	nvt

**E1300176**

	Value
Label	GR1076 E13 home equipped with - a Double glazing in the child bedroom (E1300176)
1	No
2	Yes
3	Do not know

E1300276

	Value
Label	GR1076 E13 home equipped with - b Special sound-absorbing louvers (acoustics louvers) in the child bedroom (E1300276)
1	No
2	Yes
3	Do not know

E1300376

	Value
Label	GR1076 E13 home equipped with - c Other sound-absorbing fittings on the outside walls (such as facade insulation) (E1300376)
1	No
2	Yes
3	Do not know

F0100176

	Value
Label	GR1076 F1-1 My child always seems to be in a big hurry to go from one place to the other.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0100276

	Value
Label	GR1076 F1-2 My child gets very frustrated when he/she wants to do something and it is not allowed.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0100376

	Value
Label	GR1076 F1-3 My child is very focused whenever he/she is drawing or colouring.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0100476

	Value
Label	GR1076 F1-4 My child likes to go from the big slide or undertake other adventurous activities.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

**F0100576**

	Value
Label	GR1076 F1-5 My child gets quite upset by small cuts or bruises.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0100676

	Value
Label	GR1076 F1-6 My child prepares for outings/daytrips by thinking of what he/she is going to need.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0100776

	Value
Label	GR1076 F1-7 My child often rushes headlong into new situations.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0100876

	Value
Label	GR1076 F1-8 My child tends to feel unhappy when family activities do not work out as planned.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0100976

	Value
Label	GR1076 F1-9 My child likes to be sung to.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0101076

	Value
Label	GR1076 F1-10 My child seems to feel at ease with almost everybody.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

**F0101176**

	Value
Label	GR1076 F1-11 My child is afraid of burglars or ghosts/monsters.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0101276

	Value
Label	GR1076 F1-12 My child notices when his/her parents are wearing new clothes.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0101376

	Value
Label	GR1076 F1-13 My child prefers quiet activity to an active game.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0101476

	Value
Label	GR1076 F1-14 My child tends to stay upset for ten minutes or longer if something has made him/her angry.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0101576

	Value
Label	GR1076 F1-15 My child works with great commitment or for a longer period of time, when building something or putting something together.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0101676

	Value
Label	GR1076 F1-16 My child likes to go high and fast on the swing.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

**F0101776**

	Value
Label	GR1076 F1-17 My child seems to feel gloomy when he/she is unable to finish a certain job.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0101876

	Value
Label	GR1076 F1-18 My child is good at following instructions.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0101976

	Value
Label	GR1076 F1-19 My child needs a lot of time to enter into new situation.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0102076

	Value
Label	GR1076 F1-20 My child hardly complains at all when he/she has a cold or the flu.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0102176

	Value
Label	GR1076 F1-21 My child likes the sound of words as in children's poems or rhymes.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0102276

	Value
Label	GR1076 F1-22 My child is sometimes shy, even with people that he/she has known for some time.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

**F0102376**

	Value
Label	GR1076 F1-23 My child is very hard to console when he/she is upset.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0102476

	Value
Label	GR1076 F1-24 My child is very quickly aware of a new object in the living room.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0102576

	Value
Label	GR1076 F1-25 My child is full of energy, even in the evening.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0102676

	Value
Label	GR1076 F1-26 My child is not afraid of the dark.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0102776

	Value
Label	GR1076 F1-27 My child is sometimes completely absorbed by a picture book, and looks through it for a long time.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0102876

	Value
Label	GR1076 F1-28 My child likes rough and wild games.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

**F0102976**

	Value
Label	GR1076 F1-29 My child hardly seems to be bothered at all by small cuts or bruises.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0103076

	Value
Label	GR1076 F1-30 My child approaches places of which he/she was told they are dangerous, slowly and cautiously.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0103176

	Value
Label	GR1076 F1-31 My child decides slowly and without hurry what the next activity is going to be.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0103276

	Value
Label	GR1076 F1-32 My child gets upset whenever he/she cannot find the things he/she wants to play with.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0103376

	Value
Label	GR1076 F1-33 My child enjoys quiet, rhythmic activities such as rocking or slowly turning back and forth.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0103476

	Value
Label	GR1076 F1-34 My child sometimes turns shyly away from new acquaintances.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

**F0103576**

	Value
Label	GR1076 F1-35 My child gets upset when family members or friends that he/she is fond of prepare to leave after a visit.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

F0103676

	Value
Label	GR1076 F1-36 My child makes a remark when one of the parents has changed something in his/her appearance.
1	totally incorrect
2	incorrect
3	somewhat incorrect
4	neither correct nor incorrect
5	somewhat correct
6	correct
7	very correct
8	does not apply

missingNA

	Value
Label	<none>

missingSR

	Value
Label	<none>

missingEC

	Value
Label	<none>

cbq_1

	Value
Label	<none>

cbq_2	
	Value
Label	<none>

cbq_3	
	Value
Label	<none>

cbq_4	
	Value
Label	<none>

cbq_5	
	Value
Label	<none>

cbq_6	
	Value
Label	<none>

cbq_7	
	Value
Label	<none>

cbq_8	
	Value
Label	<none>

cbq_9	
	Value
Label	<none>

cbq_10	
	Value
Label	<none>

cbq_11	
	Value
Label	<none>

cbq_12	
	Value
Label	<none>

cbq_13	
	Value
Label	<none>



cbq_14

	Value
Label	<none>

cbq_15

	Value
Label	<none>

cbq_16

	Value
Label	<none>

cbq_17

	Value
Label	<none>

cbq_18

	Value
Label	<none>

cbq_19

	Value
Label	<none>

cbq_20

	Value
Label	<none>

cbq_21

	Value
Label	<none>

cbq_22

	Value
Label	<none>

cbq_23

	Value
Label	<none>

cbq_24

	Value
Label	<none>

cbq_25

	Value
Label	<none>

cbq_26

	Value
Label	<none>

cbq_27

	Value
Label	<none>

cbq_28

	Value
Label	<none>

cbq_29

	Value
Label	<none>

cbq_30

	Value
Label	<none>

cbq_31

	Value
Label	<none>

cbq_32

	Value
Label	<none>

cbq_33

	Value
Label	<none>

cbq_34

	Value
Label	<none>

cbq_35

	Value
Label	<none>

cbq_36

	Value
Label	<none>

NA

	Value
Label	Negative affectivity



SR

	Value
Label	Surgency

EC

	Value
Label	Effortful control

missingBI

	Value
Label	<none>

cbq_7bi

	Value
Label	<none>

cbq_10bi

	Value
Label	<none>

cbq_11bi

	Value
Label	<none>

cbq_19bi

	Value
Label	<none>

cbq_22bi

	Value
Label	<none>

cbq_26bi

	Value
Label	<none>

cbq_31bi

	Value
Label	<none>

cbq_34bi

	Value
Label	<none>

BI

	Value
Label	Behavioral inhibition

F0200176

	Value
Label	GR1076 F2 Child behaviour past six months - 1 is considerate of other people's feelings (F0200176)
1	Not true
2	Somewhat true
3	Definitely true

F0200276

	Value
Label	GR1076 F2 Child behaviour past six months - 2 shares easily with other children (F0200276)
1	Not true
2	Somewhat true
3	Definitely true

F0200376

	Value
Label	GR1076 F2 Child behaviour past six months - 3 is generally obedient, usually does what adults ask of him/her (F0200376)
1	Not true
2	Somewhat true
3	Definitely true

F0200476

	Value
Label	GR1076 F2 Child behaviour past six months - 4 is helpful when someone has injured him/herself, is upset or is feeling ill (F0200476)
1	Not true
2	Somewhat true
3	Definitely true

F0200576

	Value
Label	GR1076 F2 Child behaviour past six months - 5 has at least one good friend (F0200576)
1	Not true
2	Somewhat true
3	Definitely true

**F0200676**

	Value
Label	GR1076 F2 Child behaviour past six months - 6 is generally liked by other children (F0200676)
1	Not true
2	Somewhat true
3	Definitely true

F0200776

	Value
Label	GR1076 F2 Child behaviour past six months - 7 is nice to younger children (F0200776)
1	Not true
2	Somewhat true
3	Definitely true

F0200876

	Value
Label	GR1076 F2 Child behaviour past six months - 8 often spontaneously offers to help others (F0200876)
1	Not true
2	Somewhat true
3	Definitely true

F0200976

	Value
Label	GR1076 F2 Child behaviour past six months - 9 thinks before acting (F0200976)
1	Not true
2	Somewhat true
3	Definitely true

F0201076

	Value
Label	GR1076 F2 Child behaviour past six months - 10 finishes his/her assignments, can keep his/her attention focused (F0201076)
1	Not true
2	Somewhat true
3	Definitely true

G0100176

	Value
Label	GR1076 G1 How would you describe the general state of your child's health?
1	Excellent
2	Very good
3	Good
4	Fair
5	Bad

G0200176

	Value
Label	GR1076 G2 restricted due to health problems - a In activities that require a lot of effort, such as playing football or running?
1	Yes, very much restricted
2	Yes, restricted
3	Yes, somewhat restricted
4	No, not restricted

G0200276

	Value
Label	GR1076 G2 restricted due to health problems - b In activities that require some effort, such as cycling or (roller) skating?
1	Yes, very much restricted
2	Yes, restricted
3	Yes, somewhat restricted
4	No, not restricted

G0200376

	Value
Label	GR1076 G2 restricted due to health problems - c Bending, lifting or bending over?
1	Yes, very much restricted
2	Yes, restricted
3	Yes, somewhat restricted
4	No, not restricted

**G0300176**

	Value
Label	GR1076 G3 During the past 4 weeks, was your child ever restricted in the amount of time he/she was able to spend on schoolwork or activities with friends due to emotional problems or problems related to his/her behavior?
1	Yes, very much restricted
2	Yes, restricted
3	Yes, somewhat restricted
4	No, not restricted

G0400176

	Value
Label	GR1076 G4 During the past 4 weeks, was your child restricted in the type of schoolwork or activities with friends that he/she could undertake due to problems with his/her physical health?
1	Yes, very much restricted
2	Yes, restricted
3	Yes, somewhat restricted
4	No, not restricted

G0500176

	Value
Label	GR1076 G5 How often did your child suffer from physical pain or complaints during the past 4 weeks?
1	Never
2	Once in a while
3	Several times
4	Often
5	Very often
6	(Almost) every day

G0600176

	Value
Label	GR1076 G6 past 4 weeks statements - a Contradicted or quarrelled a lot
1	Very often
2	Often
3	Sometimes
4	Hardly ever
5	Never

G0600276

	Value
Label	GR1076 G6 past 4 weeks statements - b Was unable to concentrate or focus on anything for any length of time
1	Very often
2	Often
3	Sometimes
4	Hardly ever
5	Never

G0600376

	Value
Label	GR1076 G6 past 4 weeks statements - c Lied or cheated
1	Very often
2	Often
3	Sometimes
4	Hardly ever
5	Never

G0700176

	Value
Label	GR1076 G7 How would you describe your child's behavior on the whole, compared to that of other children of his/her age?
1	Excellent
2	Very good
3	Good
4	Fair
5	Bad

G0800176

	Value
Label	GR1076 G8 How often, during the past 4 weeks - a Lonely
1	Always
2	Usually
3	Sometimes
4	Hardly ever
5	Never

**G0800276**

	Value
Label	GR1076 G8 How often, during the past 4 weeks - b Nervous
1	Always
2	Usually
3	Sometimes
4	Hardly ever
5	Never

G0800376

	Value
Label	GR1076 G8 How often, during the past 4 weeks - c Upset or distressed
1	Always
2	Usually
3	Sometimes
4	Hardly ever
5	Never

G0900176

	Value
Label	GR1076 G9 How happy over the past 4 weeks - a How things are going at school
1	Very happy
2	Happy
3	Neither happy, nor unhappy
4	Unhappy
5	Very unhappy

G0900276

	Value
Label	GR1076 G9 How happy over the past 4 weeks - b His/her friendships
1	Very happy
2	Happy
3	Neither happy, nor unhappy
4	Unhappy
5	Very unhappy

G0900376

	Value
Label	GR1076 G9 How happy over the past 4 weeks - c His/her life in general
1	Very happy
2	Happy
3	Neither happy, nor unhappy
4	Unhappy
5	Very unhappy

G1000176

	Value
Label	GR1076 G10 statements - a My child seems to be less healthy than other children
1	True
2	Usually true
3	Do not know
4	Usually not true
5	Not true

G1000276

	Value
Label	GR1076 G10 statements - b My child has never been seriously ill
1	True
2	Usually true
3	Do not know
4	Usually not true
5	Not true

G1000376

	Value
Label	GR1076 G10 statements - c I worry more about the health of my child than other people do about their children
1	True
2	Usually true
3	Do not know
4	Usually not true
5	Not true

**G1100176**

	Value
Label	GR1076 G11 How would you describe the state of your child's health at the moment compared to the situation one year ago?
1	Much better now than 1 year ago
2	Somewhat better now than 1 year ago
3	About the same now as 1 year ago
4	Somewhat worse now than 1 year ago
5	Much worse now than 1 year ago

G1200176

	Value
Label	GR1076 G12 concerned for - a Your child's physical health
1	No, not at all
2	Yes, a little bit
3	Yes, somewhat
4	Yes, a lot
5	Yes, a whole lot

G1200276

	Value
Label	GR1076 G12 concerned for - b Your child's emotional well-being or behavior
1	No, not at all
2	Yes, a little bit
3	Yes, somewhat
4	Yes, a lot
5	Yes, a whole lot

G1300176

	Value
Label	GR1076 G13 During past 4 weeks less time to yourself because of - a Your child's physical health
1	Yes, much less
2	Yes, less
3	Yes, a little less
4	No, not less

G1300276

	Value
Label	GR1076 G13 During past 4 weeks less time to yourself because of - b Your child's emotional well-being or behavior
1	Yes, much less
2	Yess, less
3	Yes, a little less
4	No, not less

G1400176

	Value
Label	GR1076 G14 How often past 4 weeks, did your child's health or behavior - a Restrict the kind of activities that you could undertake as a family?
1	Very often
2	Often
3	Sometimes
4	Hardly ever
5	Never

G1400276

	Value
Label	GR1076 G14 How often past 4 weeks, did your child's health or behavior - b Disrupt everyday family activities such as eating or watching TV?
1	Very often
2	Often
3	Sometimes
4	Hardly ever
5	Never

G1500176

	Value
Label	GR1076 G15 How well would you say the members of your family get along with each other?
1	Excellent
2	Very well
3	well
4	Fairly well
5	Badly

**G1600176_clean**

	Value
Label	GR1076 G16 During the past 5/6 years, did your child ever have an epileptic seizure, or was he/she diagnosed with epilepsy? (G1600176)
1	Not as far as I know
2	Yes, did not see a doctor
3	Yes, saw the famili doctor
4	Yes, went to hospital

G1700176_clean

	Value
Label	GR1076 G17 During the past 5/6 years, did your child ever have a seizure/febrile convulsion? (G1700176)
1	Not as far as I know
2	Yes, did not see a doctor
3	Yes, saw the famili doctor
4	Yes, went to hospital

G1800176_clean

	Value
Label	GR1076 G18 During the past 5/6 years, did your child ever suffer a breath holding spell? (G1800176)
1	Not as far as I know
2	Yes, did not see a doctor
3	Yes, saw the family doctor
4	Yes, went to hospital

G1900176_clean

	Value
Label	GR1076 G19 During the past 5/6 years, did your child faint or did he/she lose consciousness? (G1900176)
1	Not as far as I know
2	Yes, did not see a doctor
3	Yes, saw the family doctor
4	Yes, went to hospital

G2100176

	Value
Label	GR1076 G21 Did any of your child's brothers or sisters ever have a seizure/febrile convulsion? (G2100176)
0	No
1	Yes